



This material is part of the collection of the
Philadelphia Water Department
and was downloaded from the website
www.phillyh2o.org

Please contact the PhillyH2O webmaster
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration	Size of illustration
I	Second annual message of Charles F. Warwick, Mayor of the City of Philadelphia with annual report of Thomas M. Thompson, Director of the Department of Public Works and of the Bureau of Water for the year ending December 31, 1896. Issued by the City of Philadelphia, 1897			
III	Office of the mayor [List of staff]			
V	Second annual message [of Chas. F. Warwick], Office of the Mayor, City Hall, April 5, 1897			
V	Finance			
VI	Department of Public Safety			
VII	Bureau of Police			
VIII	Bureau of Fire			
VIII	Electrical Bureau			
X	Bureau of Health			
X	Bureau of City Property			
XI	Building Inspection			
XI	Department of Public Works			
XII	Bureau of Gas			
XIV	Bureau of Highways			
XIV	Bureau of Street Cleaning			
XV	Bureau of Surveys			
XVII	Bureau of Water			
XVIII	Department of Charities and Correction			
1	Annual Report of the Department of Public Works for the year ending December 31, 1896			
3	Officers of the Department of Public Works			
5-58	Tenth annual report of the Department of Public Works. Thomas M. Thompson, Director. Philadelphia, January 2, 1897			
6	City ice boats			
8	Bureau of Gas			
18	Bureau of Highways			
23	Board of Highway Supervisors			
25	Bureau of Lighting			
27	Bureau of Street Cleaning			
30	Bureau of Surveys			

38		Summary of receipts and expenses of District Surveyors	Table	
39		Comparative summary of the operations of the Registry Division of the Bureau of Surveys [1895-1896]	Table	
40		Comparative summary of main, branch, and private sewers and bridges built during the years 1895 and 1896	Table	
40		Comparative statement of work upon bridges during the years 1895 and 1896	Table	
40		Comparative statement of receipts	Table	
41		Comparative statement of expenditures	Table	
41	Bureau of Water [Summary report of Director of Department of Public Works, Thomas M. Thompson]			
49		Statement of the number and type of engines and their several aggregate capacities at the various stations [Pumping Station, Designated number of engine or turbine, Type of engine, Designed capacity in million gallons per day, Total]	Table	
50		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table	
51		A comparative statement of the total pipe laid, and of other work done during the years 1895 and 1896 [year, pipe laid, pipe relaid, fire hydrants placed in position, substituted for defective hydrants, fire hydrants in use, water attachments in use]	Table	
52	Comparative statement of receipts and expenditures for the years 1895 and 1896			
52		Receipts	Table	
52		Expenditures	Table	
52		Comparative statement of pumpage for the years 1895 and 1896 - Pumpage [Pumped to reservoirs, Equal to gallons pumped 100 feet high]	Table	
53		[Statement of pumpage for the years 1895 and 1896 - Pumped by water-power; pumped by steam-power; largest quantity pumped in 24 hours; smallest quantity pumped in 24 hours]	Table	
53		[Consumption, Cost per 1,000,000 gallons pumped 100 ft. high 1895-1896]	Table	
53		[Fraction of pumpage by water power]	Table	
53	Director's Office			

54		Comparative statement of the expenditures of the Director's office 1895 and 1896	Table	
54		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works, during the year 1896, and totals for the year 1895	Table	
55	Recommendations			
55	Bureau of Gas			
55	Bureau of Highways			
56	Bureau of Street Cleaning			
56	Bureau of Surveys			
57	Bureau of Water			
57	Appropriations, 1897			
58		Appropriation to the Department of Public Works for 1897 with a statement of balances from previous years for work ordered and for which contracts are executed	Table	
59	Annual report of the Bureau of Water for the year 1896 [of John C. Trautwine]			

61	Officers of the Bureau of Water			
63	Annual Report of the Bureau of Water for the year 1896, February 15, 1897 [of John C. Trautwine]			
63	Estimates and appropriations			
63	Results of deficiency of appropriations			
65	Projects for future supply			
67	Officers and employees			
69	Financial statistics			
70-71		Appropriations and expenditures (Itemized)	Table	
72		Appropriations and expenditures, Summary	Table	

72		Receipts from the operations of the Bureau of Water, as reported by the receiver of taxes [Water rents by schedule on existing connections [current, delinquent], on new connections, by meter current and delinquent, Penalties [current and delinquent], Frontage charges [paid to receiver of taxes, collected by city solicitor], Fees for searches, Charge for ferrules on new connections, Miscellaneous, Totals]	Table	
73		Receipts, Estimates of requirements, Amounts rendered available by appropriations, etc., and the amounts expended [1890-1897]	Table	
73	Requirements and Appropriations			
73		Statement showing the estimates of the Bureau for the year 1897 and the amounts appropriated by City councils	Table	
74	Estimates for extensions and improvements			
74		Pumping Stations	Table	
75		Reservoirs	Table	
75		Pumping and supply mains	Table	
76	Rainfall and stream flow			
77		Rainfall and stream flow, 1895-1896	Table	
77		Average daily flow in gallons per square mile of water shed	Table	
77	Minimum flow of Schuylkill			
78-79		Minimum flow of the Schuylkill river through Fairmount pool, Philadelphia, 1869-1896, compared with the average daily pumpage during the month of greatest consumption [Year, yearly rainfall, Period of low water during the year, Duration in days, Number of days on which no water flowed over Fairmount Dam, Minimum flow [Gallons per 24 hours, Cubic feet per second per sq. mile, Month of minimum flow], Average daily pumpage from the Schuylkill during the month of maximum consumption, gals. per 24 hours, Month of maximum pumpage, Pumpage from Schuylkill during month of maximum consumption, in percentage of minimum flow available for the City's use]	Table	
82	Average flow of the Schuylkill			
82	Flood of February 6th			
82	Fairmount pool			
82	Low water			

83	Fairmount Dam			
83	Flat Rock Dam			
83	Pumping Stations			
83	Cost of pumping			
84		Cost of raising 1,000,000 gallons 100 feet during 1895 and 1896	Table	
84		Annual pumpage, 1895-1896	Table	
85		Monthly record of pumpage during 1896 [Month, Water power, Steam power, Totals, Average per day	Table	
86-87		Daily pumpage, Table showing the nominal, minimum and average daily pumpage for 1895 and 1896	Table	
88		Volume and cost of pumpage, etc., for the years 1886 to 1896, inclusive [estimated population]	Table	
88	Tests of pumping engines			
89	Fairmount pumping station			
89	Spring Garden pumping station			
90	Queen Lane pumping station			
91	Frankford pumping station			
92	Reservoirs			
92		Total contents of reservoirs in millions of gallons. 1895-1896	Table	
92	Fairmount reservoir			
92	Queen Lane reservoir			
94	Asphalt lining			
94		Estimated quantities and prices bid for relining of the south and north basins of Queen Lane reservoir	Table	
95	Reconstruction of slopes. Retaining wall			
96	Drain			
97	Grouting of Brickwork on slopes			
97	Brick lining on slopes			
98	Completion of South Basin			
98	Stoppage of work in North Basin			
98	Leakage under division bank during repairs			
99	Results of repairs			
99	Utilization of reservoirs			
100	Suit for recovery of retained percentage			
101	Experiments with asphalt			

101		Absorption of water by bricks coated with pure asphalt. Each curve is marked with the number of coats	Diagram	3 1/2 in. x 1 3/4 in.
102		Percolation through asphaltic linings on cement concrete slabs	Diagram	3 1/4 in. x 1 3/4 in.
103	New Roxborough reservoir			
103		Cost estimate for relining of New Roxborough Reservoir	Table	
104	Distribution			
104	Venturi Meter			
105	Pitot tube			
105	Machine for tapping large mains under pressure			
105	Extension of supply to Lawndale, Fox Chase, etc.			
106		Comparison of conditions relating to the distribution. 1895/1896. Mains [New work, Repairs, Pipe cut off and abandoned]	Table	
107		Pipe laid by property owners under ordinance of councils dated June 19, 1890 [1895, 1896]	Table	
107		Work performed in connection with construction of electric railway [1895, 1896]	Table	
107		Meters [1895, 1896]	Table	
107		Number of dwellings and of principal appliances for the use of City Water [1895, 1896]	Table	
108	Sewage from house of correction, and water supply for County prison			
109	Electrolysis			
109	Second District Yard			
109	Consumption and waste			
110	Proposed ordinance extending the use of meters			
110	Efficiency of meters in reducing waste			
111		Scale for consumption in gallons, and for No. of meters	Graph	3 5/8 in. x 2 3/4 in.
111		Scale for percentage of taps metered	Graph	2 3/4 in. x 2 1/2 in.
112		Effect of use of meters on the consumption of water, Lexington, Ky., 1886-1895 [No. of taps metered, No. of taps unmetered, Total no. of taps, Percentage of taps metered, Annual consumption in gallons, Gallons per tap per day]	Table	
112	Construction and repair shop			
112	Quality of supply			
112	The City's typhoid conditions			

113		Fig. 1. - Typhoid fever mortality per 100,000 of living population, in Philadelphia, 1861 to 1895, inclusive	Graph	3 7/16 in. x 2 1/2 in.
114		Fig. 2. - Typhoid fever mortality in the District supplied, before and after abandoning the Delaware pumping station	Graph	1 5/8 in. x 2 in.
114		Fig. 3. - Percentage of Typhoid cases proving fatal in Philadelphia from 1886 to 1895, inclusive	Graph	1 5/8 in. x 2 1/16 in.
117	Effects of insufficiency of aeration			
118	Coal dust pollution			
118	Filtration			
121	Report by Mr. Allen Hazen			
121	Estimate of cost			
123		Consumption in million of gallons per day, Cost of construction, Annual expense of operation [1896 actual, 1896 if metered, 1910 at present rate of increase, 1910 if metered]	Table	
124	Visits to filtration plants			
124	Experiments with sedimentation			
124		Chemical and bacteriological conditions of water from the South section of the East Park Reservoir [No. of sample, Day and hour when collected, No. of bacteria per O. C., Total solids, Oxidizable organic matter, Chlorine, Nitrogen as Nitrates, Free N. H. 3, Alb. N. H. 3]	Table	
125		Bacteriological results compared with the effects of filtration in several American and European cities	Graph	3 7/8 in. x 1 3/4 in.
126	Further investigation needed			
126	Accommodations in City Hall			
128	Visits to water works, etc.			
129	Means of communication between stations			
130	Abbreviation of report			
131	Additional errata in report for 1895			
131		Corrections of the table, p. 78, of rainfall and stream-flow in 1894-5 [Stream flow - Perkiomen, Neshaminy, Tohickon]		
131	[Overview of appendices]			
133-134		List of miscellaneous receipts for the year 1896	Table	
135	Appendix A, Report of Chief Clerk, February 5, 1897 [of J. T. Hickman]			
136-147		Detailed expenditure of the Bureau for 1896	Table	
148		Detailed expenditures of the Bureau for 1896, Recapitulation	Table	

		Pumpage diagram for the year 1896 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram	17 in. x 12 9/16 in.
149	Appendix B, Report of the General Superintendent, Jan. 15, 1897 [of F. L. Hand]			
150		Comparison of pumpage for 1895 and 1896	Table	
150	Fairmount			
151		??	Table	
152		??		
153		??		
154	Spring Garden Pumping Station			
156	Belmont Pumping Station			
156	Queen Lane Pumping Station			
157		Statement of the number of days' service of each of the engines during the year	Table	
159	Roxborough Station			
160	Frankford Pumping Station			
161	Roxborough and Belmont High-Service			
161	Roxborough Reservoir			
163	Mount Airy Reservoir			
163	Wentz Farm Reservoir			
164	Chestnut Hill Reservoir			
164	Lehigh Avenue Reservoir			
164		Expenditures on minor repairs and improvements to reservoirs [Wages, Material, Total]	Table	
165	Improvement of the telephone service			
166		Belmont Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
166		Queen Lane Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
166		Fairmount Pumping Station [numbers concerning the turbines - Capacity, Running time, Gallons pumped, Oils]	Table	

166		New Spring Garden Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table	
166		Old Spring Garden Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table	
167		Belmont Auxiliary Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of Ashes, Oils, Mean Water Pressure]	Table	
168		Roxborough Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oil, Mean water pressure and mean suction lift in pounds, Gallons raised 100 feet per pound of coal]	Table	
169		Roxborough Auxiliary Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure]	Table	
170		Mount Airy Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in lbs. per sq. in., Gallons raised 100 feet per pound of coal]	Table	
171		Chestnut Hill Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. in., Gallons raised 100 feet per pound of coal]	Table	
172		Frankford Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. in., Gallons raised 100 feet per pound of coal]	Table	

172		Current expenses and work of the pumping stations for the year 1896 [Stations: Pay of employees at the stations, Coal, Lubricating oils, Lighting oils, Repairs to boilers and machinery, Small stores, Total expenses, Total gallons pumped, Lift in feet including suction and friction, Gallons pumped 100 feet high suction and friction included, Cost of raising one million gallons one hundred feet, Percentage of work done at each station, Height of surface of basin above pumps in feet]	Table	
172		Total gallons pumped during 1896 [Months, Pumpage (Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Chestnut Hill, Frankford), Consumption, Supplementary Pumpage (Belmont Auxiliary, Roxborough Auxiliary, Mount Airy, Total), Total pumpage, Average per day, Percentage of ashes, Maximum gallons for one day, Minimum gallons for one day, Total steam pumpage, Total water pumpage]	Table	
172		Description of pumping machinery of the Bureau of Water, Philadelphia, 1896 [Pumping station, Designated number of engine or turbine, Types of engines, Designated capacity - million gallons per day, Steam engines and pumps: High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps. Pumping Station, Type of boilers, Steam boilers]	Table	
173	Appendix C, Report of Assistant in Charge of Distribution, January 13, 1897 [of Allen J. Fuller]			
174		Queen Lane Supply		
176		Mains		
178		Joint...?		
179		Purveyor's Districts		
180		Present arrangement of the districts and the included wards	Table	
181	Reading subway			
181	Machines for tapping large mains			
182		List of connections made with tapping machines in 1896	Table	
182	Water-waste			
183		Comparative table of appliances [fixtures]?	Table	
183	Meters			

184		Manufacturers, who loaned the Bureau meters [Manufacturer, Style of meter, Size in inches, Total]	Table	
185		??	Table	
186	Mains			
186		New work [Mains laid, Connections]	Table	
186		Repairs	Table	
187		Abandoned	Table	
187		Fire hydrants	Table	
187	Drills for attachments			
		New attachments maid to the mains	Table	
188		Attachments, including ferrules, service pipes and curb stops, which were put in from the street mains to the curbs, in order to provide for possible future services without breaking of street pavements	Table	
188		Foundries, at which cast iron water pipes and special castings were inspected	Table	
189		Schedule of pipe and special castings inspected, rejected and accepted during the year 1896 [Manufacturer, Size-Inches [Pipe, Special castings], Ordered, Inspected, Rejected, Cancelled, Accepted]	Table	
190		Service and supply mains laid during 1896, First district	Table	
191		[Service and supply mains laid during 1896], Second district	Table	
192		[Service and supply mains laid during 1896], Third district	Table	
193		[Service and supply mains laid during 1896], Fourth district	Table	
194		[Service and supply mains laid during 1896], Fifth district	Table	
195		[Service and supply mains laid during 1896], Sixth district	Table	
196		Recapitulation of work on water pipes [Purposes for which used, New pipe or feet used, Pipe used but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned, Size in inches, Total in feet and pounds]	Table	
197		Recapitulation by districts [Districts, New pipe or feet added, Pipe used, but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned, Size in inches, Feet, Pounds]	Table	
198		Recapitulation of fire hydrants, set, renewed, and removed	Table	
199		Fire hydrants, by wards	Table	
200		Statement of the number of fire hydrants by districts and wards during 1896 and total previous thereto	Table	

200		Number of attachments for fire purposes previously reported	Table	
201		Fire hydrants by purveyors' districts [Districts, Style, Total]	Table	
202		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, arranged by districts [Districts, New attachments, Shut off by permit, Work done without permit]	Table	
203		Permits issued during the year 1896	Table	
204-206		Premises supplied and appliances [fixtures] in use January 1, 1896	Table	
207		Service attachments laid to the curb (on streets to be paved or repaved) by Bureau of Water [Districts, Size, Total]	Table	
207		Account of new stops and check valves for 1896 [District, Bureau of Water, Viney, Smith's patent, Ludlow, Check valves, Total]	Table	
208		Repairs to mains, stops and fire hydrants; also stops and fire hydrants removed during 1896	Table	
208		Location of check valves	Table	
209-210		Total number of stop valves in the City - arranged by districts [Pattern, Size, Outlets, District, Total]	Table	
211		Number of valves raised in the several districts during the year 1896 [Districts, 5-way Barton, 3-way Viney, 4-way Viney, Single Gate, Total]	Table	
212		Number of complaints and examinations during 1895 and 1896 [Months, hydrants, service pipe, wash-paves, spigots, water-closets, horse troughs, no leaks, total]	Table	
213-218		New meters set [Ward, occupant, location, business, date when set, name of meter, size, total, gallons consumed]	Table	
219		Miscellaneous work [Size, Meters [repaired, used in service, purchased], Examinations, Miscellaneous, Statements]	Table	
220		Meters tested and received on trial [Size, Tested, Received on trial]	Table	
221		Attachments made and delivered to districts during the year 1896 [Districts, Attachments made and delivered, Lead pipe-feet, Total]	Table	
222-223		Distribution expenses during the year 1896, including expenses of Main office, Purveyors' districts and meter shops	Table	

222		General summary of meter operations for the year 1896 [Size of meters, In use January 1, 1896, Set during 1896, Renewed, Discontinued, In use December 31, 1896, Stock on hand Dec. 31, 1896]		
223		Summary of work done in connection with the distribution, 1896	Table	
224	Appendix D, Report of the Superintendent of the Construction and Repair Shop, Twelfth and Reed streets, for the year 1896, Jan. 8, 1897 [of James H. Dean, Superintendent of Shop]			
227		Merchandise [Drafts] [by types of materials and supplies]	Table	
227		Merchandise [Credits] [by districts, locations, project types]	Table	
228		Inventory, January 1, 1897	Table	
230		Articles manufactured during 1896	Table	
231		Articles delivered to purveyor's districts, etc.	Table	
232	Appendix E, Report of Assistant in Charge of Hydrographic Work, January 2, 1897 [of John E. Codman]			
235		[Overview of the tables, which accompany the report]	Table	
237		??	Table	
240		Table II. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Philadelphia for the year 1896	Table	
241		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at forks of Neshaminy for the year 1896	Table	
242		Table IV. Rain storms, exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Frederick for the year 1896	Table	
243		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy, and Tohickon Creeks. [Watersheds, Area in miles, Percentage of total area [Woodland, Cultivated, Flats, Roads], Average for 13 year, (1883-1896)]	Table	
244		Table VI. Average annual yield of sundry watersheds to October 1, 1896	Table	
244		Table VII. Minimum stream flow [Stream, Minimum flow previous to 1896, Minimum flow 1896]	Table	
245		Table VIII. Maximum stream flow [Stream, Maximum flow previous to 1896, Maximum flow 1896]		

245		Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds [Oct. 1895 - Dec. 1896]	Table	
245		Table I. Monthly precipitation on sundry watersheds, compared with U. S. Weather Bureau observations at Philadelphia, 1896 [U.S. Weather Bureau, Water Bureau Automatic, Water Bureau Ground Gauge, Pennsylvania Hospital, Germantown, Lebanon, Reading, Pottstown, Browers, Hamburg, Seisholtzville, Frederick, Easton, Moorestown, West Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown]	Table	
246	Appendix F, Report of Chief Draftsman [John E. Codman], January 25, 1897			
246		[Drawings made]	Table	
248			Engineering Drawing	7 1/8 in. x 3 in.
249			Engineering Drawing	7 1/8 in. x 3 1/4 in.
250	Appendix G, Propositions respecting future water supply			
250	An ordinance [April 16, 1896, The Select and Common Councils of the City of Philadelphia]			
254	An ordinance [June 25, 1896, The Select and Common Councils of the City of Philadelphia]			
260	Department of Public Works, Bureau of Water, November 30, 1896 [of John C. Trautwine, Chief of Bureau]			
262		Estimate of costs	Table	
265		Calculations [Expenses of Bureau 1895, Corresponding expenses 1900, Annual extension of distribution system, Annual extension of reservoir system, Total annual requirements of Bureau in 1900 under Company's system]	Table	
268	Summary of approximate estimates relating to the proposition of the Philadelphia Water Supply Company to furnish water from the Delaware River, November 1896			
268		First cost [Main headline for the following datas?]	Table	
269	John C. Trautwine, Chief of Bureau of Water to Thomas M. Thompson [Director, Dept. of Public Works], December 7, 1896			
272		Estimate of costs [Land damages, Construction and repairs]	Table	
273		Revision of estimate of costs for Queen Lane Reservoir	Table	

273		Figures for East Park Reservoir [Real estate, Construction, Repairs]	Table	
273		Figures for Roxborough Reservoir [Real estate, Construction, Repairs]		
274		Summary concerning East Park, Queen Lane and Roxborough (new) Reservoir [Capacity in millions of gallons, Total cost, Total cost per million gallons of storage capacity]		
277	An ordinance [February, 1897, The Select and Common Councils of the City of Philadelphia]			
292	An ordinance [The Select and Common Councils of the City of Philadelphia]			
293	The Pennsylvania Sanitation Co. to the Mayor and Councils of the City of Philadelphia			
295	John C. Trautwine, Chief of Bureau of Water to R. R. Bringhurst, Chairman of Committee on Water, October 6, 1896			
298	Appendix H, Report of H. W. Spangler and D. A. Decrow, Experts on test of two holly triple-expansion vertical engines, at Spring Garden Pumping Station, April 10-15, 1896. May 26, 1896			
298		Principal dimensions ? enough?	Table	
299	Duty			
299		Formula, with which the duty will be computed	Formula	
301		Test of South Engine No. 439 ? enough?	Table	
303		Test of South Engine No. 440 ? enough?	Table	
306	Report of test of no. 2 Southwark triple-expansion high-duty vertical pumping engine, at Queen Lane Pumping Station, September, 1896. By John E. Codman, Chief Draftsman, in charge of test. October 8, 1896			
307		Style of engine	Table	
307		Principal dimensions	Table	
307	Duty			
308		Duty formula	Formula	
310	[Report of H. W. Spangler, Edward T. Child, John Birkinbine] December 16, 1896			
311		Nominal dimensions of each engine	Table	
312		Measured dimensions of no. 2 engine	Table	
312		Measured dimensions of no. 4 engine	Table	
313		Duty formula	Formula	

314		Record of twenty-four hour test with no. 2 engine	Table	
315		Record of twenty-four hour test with no. 2 engine	Table	
316		Miscellaneous data	Table	
316		Record of four hour test with no. 4 engine	Table	
316		Record of data taken during the thirty day trial test of engine no. 2, at Queen Lane Pumping Station [Days, Engine observations, Water observations, Coal, Duty]	Table	
317		Miscellaneous data	Table	
318	Appendix J, Specifications used in repairing Queen Lane and New Roxborough Reservoirs			
318		[Overview of the technical portions of specifications used in the repair of Queen Lane and Roxborough Reservoirs]	Table	
322	Specification No. 1.			
322	Outline of work required			
322	Removal of present floor lining			
323	Excavation of the trench			
325	Concrete filling of trench			
325	Concrete			
329	Specification No. 3.			
329	Outline of work required			
330	Excavation for foundation			
330	Foundation masonry for retaining wall			
331	Retaining wall			
331	Mortar and grout			
332	Cement			
333	New steps and platform			
333	Coping			
333	Character and appearance of work			
334	Reconstruction of slopes			
334	Sodding or seeding			
335	Specification No. 4.			
335	Outline of work required			
335	Trench			
336	Terra cotta pipe			
336	Manholes			
337	Re-filling trench			

337	December, 1895. Specification no.5, for the building of a concrete wall at the foot of the inner slope of the north basin of Queen Lane Reservoir			
337	July, 1896. Specification no. B36916, for re-lining the slopes and floor of the South Basin of Queen Lane Reservoir			
337	Outline of work required			
338	Asphalt			
339	Preparation of concrete surfaces			
339	Priming coat			
340	(a) Work on slopes			
340	First mixture coat			
340	Burlap			
340	Second mixture coat			
340	Thicknesses			
341	Paving			
341	Brickwork			
341	(b) Work on floor			
341	Asphalt concrete			
342	Mixture coat			
342	c) Work on stop-house			
342	Walls			
342	Floor			
343	August, 1896. Specification no. 17, for asphalt concrete lining of one basin of the new reservoir at Roxborough			
343	Outline of work required			
343	Character of asphalt			
343	Asphalt priming coat			
344	First asphalt paint coat			
345	Asphalt concrete			
345	Second asphalt paint coat			
346	September, 1896. Specification no. 18, for grouting the brick work on the inner slopes of one or both basins of Queen Lane Reservoir			
346	Outline of work required			
346	Grout			
347	September, 1896. Specification no. 19, for relining the slopes and floor of the North Basin of Queen Lane Reservoir			

347	November, 1896. Specification no. 22, coping of retaining wall at Queen Lane Reservoir			
347	Outline of work required			
348	Stone			
348	Dimensions			
348	Dressing			
348	Laying			
349	Mortar			
349	Cement			