



This material is part of the collection of the

Philadelphia Water Department

and was downloaded from the website

www.phillyh2o.org

Please contact the PhillyH2O webmaster
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration	Size of illustration
[I]	Third annual message of Charles F. Warwick, Mayor of the City of Philadelphia with annual report of Thomas M. Thompson, Director of the Department of Public Works and of the Bureau of Water for the year ending December 31, 1897			
[III]	Office of the mayor [List of staff]			
I	Report for 1897, Contents			
IV	Index to Report of Bureau of Water			
V	Third annual message [of Chas. F. Warwick], Office of the Mayor, City Hall, April 4, 1898			
V	Finance			
XII	Department of Public Safety			
XII	Bureau of Police			
XIII	Bureau of Fire			
XIV	Electrical Bureau			
XV	Bureau of Health			
XVII	Bureau of City Property			
XVIII	Bureau of Building Inspection			
XVIII	Bureau of Boiler Inspection			
XIX	Department of Public Works			
XIX	Bureau of Gas			
XXIV	Bureau of Highways			
XXV	Bureau of Street Cleaning			
XXVII	Bureau of Surveys			
XXIX	Bureau of Water			
XXXIII	Department of Charities and Correction			
1	Annual Report of the Department of Public Works for the year ending December 31, 1897			
3	Officers of the Department of Public Works			
5-55	Eleventh annual report of the Department of Public Works. Thomas M. Thompson, Director. January 3, 1898			
6	City ice boats			
8	Bureau of Gas			
15	Bureau of Highways			
21	Board of Highway Supervisors			
23	Bureau of Lighting			
25	Bureau of Street Cleaning			

29	Bureau of Surveys			
34		Progress made on construction [Earth and rock excavation, Masonry laid, Track laid, Average number of men employed by contractors]	Table	
38		Summary of receipts and expenses of District Surveyors	Table	
39	Registry Division			
39		Comparative summary of the operations of the Registry Division of the Bureau of Surveys [1895-1897]	Table	
40		Comparative summary of main, branch and private sewers, and bridges built during the years 1895, 1896 and 1897	Table	
40		Comparative statement of work upon bridges during the years 1895, 1896, 1897	Table	
40		Comparative statement of receipts	Table	
41		Comparative statement of expenditures	Table	
41	Bureau of Water [Summary report of Director of Department of Public Works, Thomas M. Thompson]			
41		Table showing the increase in the quantity of water pumped [1897, 1887]	Table	
48		Statement of the number and type of engines and their several aggregate capacities at the various stations	Table	
49		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table	
50		Comparative statement of pumpage for the years 1895, 1896 and 1897 [Pumped to reservoirs, Equal to gallons pumped 100 feet high]	Table	

50		[Statement of pumpage for the years 1895-1897 [Pumped by water power; pumped by steam power; largest quantity pumped in 24 hours; smallest quantity pumped in 24 hours]]	Table	
50		[Consumption, Cost of 1,000,000 gallons pumped 100 ft. high 1895-1897]	Table	
50		[Fraction of pumpage by water power]	Table	
51		A comparative statement of the total pipe laid and of other work done during the years 1895, 1896 and 1897 [pipe laid, pipe relaid, fire hydrants placed in position, substituted for defective hydrants, fire hydrants in use, new water attachments]	Table	
52	Comparative statement of receipts and expenditures for the years 1895, 1896, and 1897			
52		Receipts	Table	
52		Expenditures	Table	
52	Director's Office			
52		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works, during the year 1897, and totals for the years 1895 and 1896	Table	
53		Comparative statement of the expenditures of the Director's office 1895-1897	Table	
55	Appropriations, 1898			
55		Appropriation to the Department of Public Works for 1898 with a statement of balances from previous years for work ordered and for which contracts are executed	Table	
57	Annual report of the Bureau of Water for the year 1897 [of John C. Trautwine]			
59	Officers of the Bureau of Water			

61	Annual Report of the Bureau of Water for the year 1897, Eleventh annual report of the Bureau of Water, ninety-sixth annual report of operations connected with the city water supply [of John C. Trautwine]			
62	Increase of consumption			
62		Increase of water consumption [1860, 1870, 1880, 1890, 1897, Daily consumption, Population]	Table	
63		Average consumption of water, Philadelphia [1860-1897, 1897-1920 estimated]	Graph	3 in. x 3 7/16 in.
63	Continued starvation			
64		Estimates for extensions and improvements other than repairs of reservoirs [1896, 1897, 1898]	Table	
64	Increasing waste			
64	The remedy			
64		Pumpage diagram for the year 1897 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram	16 15/16 in. x 12 13/16 in.
65		Daily consumption, in gallons, by streams of different sizes	Photograph	6 in. x 4 in.
68		Consumption of water by private residences as observed by meters	Table	
69	What to do			
70	What to do first			
70	West Philadelphia			
71	Filtration of Delaware supply			
71	Report on filtration			
72	Proposed changes of system			
72	A. From the Delaware river			
73	B. From the Schuylkill			
74	C. From other sources			
74	D. Purification of existing supplies			
75	Philadelphia water supply Co.			
75	Palmyra filtrated water company			
76	Schuylkill Valley Water Co.			
76	Schuylkill navigation company			

77	Aqueduct from above Norristown			
77	Artesian wells			
78	Pollution			
80	Analyses			
81	Pumping stations			
83	Reservoirs			
84	Distribution			
84		Annual estimates for new pumping and supply mains [1896-1898, Estimate, Amount appropriated]	Table	
85	Estimate of cost of works			
85	Assistants			
86	[Overview of appendices]			
86		Receipts from operations of the Bureau of Water, as reported by the receiver of taxes [Water rents by schedule on existing connections [current, delinquent], on new connections, by meter current and delinquent, Penalties [current and delinquent], Frontage charges [paid to receiver of taxes, collected by city solicitor], Fees for searches, Charge for ferrules on new connections, Miscellaneous, Totals]	Table	
87	Appendix A, Report of Chief Clerk, January 29, 1898 [of J. T. Hickman]			
88-89		List of miscellaneous receipts for the year 1897	Table	
90-101		Detailed expenditure of the Bureau for 1897	Table	
101		Detailed expenditures of the Bureau for 1897, Recapitulation	Table	
102		Receipts from the operations of this Bureau together with the estimates of requirements, the amounts rendered available by appropriations etc. and the amounts expended [1880-1898]	Table	

102	Requirements and appropriations			
102		Statement showing the estimates of the Bureau for the year 1898 and the amounts appropriated	Table	
103-130	Appendix B, Report of the General Superintendent, Jan. 3, 1898 [of F. L. Hand]			
104		Comparison of pumpage for 1896 and 1897	Table	
105		Cost of raising 1,000,000 gallons 100 feet during 1896 and 1897	Table	
105		Volume and cost of pumpage, etc., for the years 1886 to 1897, inclusive [estimated population]	Table	
106-107		Daily pumpage, Table showing the nominal, minimum and average daily pumpage for 1896 and 1897	Table	
108	Fairmount			
109	Forebay			
109	Spring Garden Pumping Station			
110	Belmont Pumping Station			
111	Queen Lane Pumping Station			
112	Roxborough Pumping Station			
113	Frankford Pumping Station			
114	Roxborough and Belmont High-Service Stations			
114	Queen Lane Reservoir			
115	Asphalt concrete floor lining. North Basin			
115	Reconstruction of outer slopes and building of retaining walls			
115	Coping for retaining walls			
116	Alterations in parapet walls			
116	Repairing the Asphalt walk on top of the embankment			
116	Leakage			
118	Observations on evaporation and rainfall			
119	New Roxborough Reservoir			
124		Fairmount Pumping Station [numbers concerning the turbines - Capacity, Running time, Gallons pumped, Oil]	Table	

125		Belmont Auxiliary Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of Ashes, Oil, Mean Water Pressure]	Table	
126		Roxborough Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table	
126		New Spring Garden Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table	
127		Old Spring Garden Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
127		Roxborough Auxiliary Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure]	Table	

128		Mount Airy High Service Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
128		Belmont Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
129		Chestnut Hill Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
130		Frankford Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table	
130		Queen Lane Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table	

130		Total gallons pumped during 1897 [Months, Pumpage (Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Chestnut Hill, Frankford), Consumption, Average consumption per day, Supplementary Pumpage (Belmont Auxiliary, Roxborough Auxiliary., Mount Airy, Total, Average per day), Total pumpage, Average per day, Percentage of ashes, Maximum gallons for one day, Minimum gallons for one day, Total steam pumpage, Total water pumpage]	Table	
130		Current expenses and work of the pumping stations for the year 1897 [Stations: Pay of employees at the stations, Coal, Lubricating oils and grease, Lighting oils, Repairs to boilers and machinery, Small stores, Total expenses, Total gallons pumped, Lift in feet including suction and friction, Gallons pumped 100 feet high suction and friction included, Cost of raising one million gallons one hundred feet, Percentage of work done at each station, Height of surface of basin above pumps in feet]	Table	

130		Description of pumping machinery of the Bureau of Water, Philadelphia, 1897 [Pumping station, Designated number of engine or turbine, Types of engines, Designated capacity - million gallons per day, Steam engines and pumps: High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps. Pumping Station, Type of boilers, Steam boilers]	Table	
131	Appendix C, Report of Assistant in Charge of Distribution, January 26, 1898 [of Allen J. Fuller]			
134	Consumption			
136	Meters			
136		Meter tests [Meters, First test, Durability test, Second test, Percentage of merit, Rating, Inspection]	Table	
138		Fig. 1. Arrangement of Venturi and mechanical meters at Chestnut Hill	Engineering drawing	4 in. x 3 1/4 in.
139		Fig. 2. Relative position of mechanical meters at Chestnut Hill	Engineering drawing	4 1/8 in. x 2 3/4 in.
140		Fig. 3. Arrangement of Venturi and Mechanical Meters at Roxborough	Engineering drawing	4 in. x 1 3/4 in.
140		Fig. 4. Relative position of mechanical meters at Roxborough	Engineering drawing	4 in. x 3 in.
141	48-inch venturi meter			
142		High Speed Test	Table	
142		Slow Speed Test	Table	
143	Pitot meters			
143		Fig. 5. Pitot Meter	Engineering drawing	1 3/8 in. x 4 1/8 in.
145		Fig. 6. Pitot Meter	Engineering drawing	2 1/8 in. x 4 3/4 in.

146		Pitot meter on six-inch pipe - air over water in glass tubes [A. Mean velocity in feet per second. Discharge measured by weight, B. Velocity in feet per second measured by pitot meter, C. Constant, D. Mean constant. Mean velocity by pitot meter. Per cent. of error between A and D.]	Table	
148		Fig. 7. Modified pitot meter	Engineering drawing	1 1/2 in. 1 5/8 in.
148		Fig. 8. Modified pitot meter	Engineering drawing	1 in. x 5 1/4 in.
149	Pennsylvania Avenue Subway			
151	Broken Mains			
153	District yards and meter shops			
154	Mains			
154		New work [Mains laid, Connections]	Table	
154		Comparison of conditions relating to the distribution 1896-1897, Mains	Table	
155		Pipe laid by property owners under ordinance of councils, dated June 19, 1890	Table	
155		Work performed in connection with construction of electric railway	Table	
155		Meters	Table	
155		Number of dwellings and of principal appliances for the use of City Water	Table	
155		Repairs	Table	
156		Abandoned	Table	
156		Fire hydrants	Table	
156	Drills for attachments			
157		New attachments made to the mains	Table	

157		Attachments, including ferrules, service pipes and curb stops, which were put in from the street mains to the curbs, in order to provide for possible future service without breaking of street pavements	Table	
157	Meters			
159		Schedule of pipe and special castings inspected, rejected and accepted during the year 1897 [Manufacturer, Straight pipe -Size in inches, Ordered, Inspected, Rejected, Cancelled, Accepted [Quantity, Cost], Remarks]	Table	
159		Schedule of pipe and special castings, rejected and accepted during the year 1897 for Bureau of Surveys, Account of Pennsylvania Avenue Subway [Manufacturer, Straight pipe -Size in inches, Ordered, Inspected, Rejected, Cancelled, Accepted [Quantity, Cost], Remarks]	Table	
159	Department of Public Works, Bureau of Water [Report of Chief Pipe Inspector Theo. S. S. Baker, January 19, 1898]			
160		Service and supply mains laid during 1897, First district	Table	
161		[Service and supply mains laid during 1897], Second district	Table	
162		[Service and supply mains laid during 1897], Third district	Table	
163		[Service and supply mains laid during 1897], Fourth district	Table	
164		[Service and supply mains laid during 1897], Fifth district	Table	

165		Recapitulation of work on water pipes [Purposes for which used, New pipe or feet added, Pipe used but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned, Size in inches, Total in feet and pounds]	Table	
165		Recapitulation by districts [Districts, New pipe or feet added, Pipe used, but adding nothing to feet in the ground, Total handled, Pipe cut off and abandoned, Size in inches, Feet, Pounds]	Table	
165		[Service and supply mains laid during 1897], Sixth district	Table	
166		Work done by the Holmesbury Water Co. (Private). Not included in the tabulations [Street, Location, Ward, Service mains, Fire hydrants, Stops]		
167		Recapitulation of fire hydrants set, renewed and removed	Table	
168		Fire hydrants, by wards [Wards, Style, Total]	Table	
169		Statement of the number of fire hydrants by districts and wards during 1897, and total previous thereto	Table	
169		Number of attachments for fire purposes previously reported	Table	
170		Fire hydrants by purveyors' districts [Districts, Style, Total]	Table	
171		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, arranged by districts [Districts, New attachments, Shut off by permit, Work done without permit]	Table	

172		Permits issued during the year 1897	Table	
173-174		Premises supplied and appliances [fixtures] in use January 1, 1897	Table	
175		Service attachments laid to the curb (on streets to be paved or repaved) by the Bureau of Water [Districts, Size, Total]	Table	
175		Account of new stops and check valves for 1897 [Districts, Bureau of Water, Viney, Smith's patent, Check valves, Total]	Table	
176		Repairs to mains, stops and fire hydrants, also stops and fire hydrants removed during 1897	Table	
176		Location of check valves	Table	
177-178		Total number of stop valves in the City - arranged by districts [Pattern, Size, Outlets, Districts, Total]	Table	
179		Number of valves raised in the several districts during the year 1897 [Districts, Barton, Viney, Single Gate]	Table	
180		Number of complaints and examinations during 1896 and 1897 [Months, hydrants, service pipes, wash-paves, spigots, water-closets, horse troughs, no leaks, total]	Table	
181-188		New meters set [Ward, occupant, location, business, date when set, name of meter, size, total, gallons consumed, remarks]	Table	
188		General summary of meter operations for the year 1897 [Size of meters, In use January 1, 1897, Set during 1897, Renewed, Discontinued, In use December 31, 1897, Stock on hand Dec. 31, 1897]	Table	

188		Miscellaneous work [Size, Meters [repaired, used in service, purchased, tested], Examinations, Miscellaneous, Statements]	Table	
189		Attachments made and delivered to districts during the year 1897 [Districts, Attachments made and delivered, Lead pipe-feet, Total feet]	Table	
190-191		Distribution expenses during the year 1897, including expenses of Main office, Purveyors' districts and meter shops	Table	
192		Summary of work done in connection with the distribution, 1897	Table	
193-200	Appendix D, Report of the Superintendent of the Construction and Repair Shop, Twelfth and Reed streets, for the year 1897, Jan. 8, 1898 [of James H. Dean, Superintendent of Shop]			
195		Merchandise [Drafts] [by types of materials and supplies]	Table	
195		Merchandise [Credits] [by districts, locations, project types]	Table	
196		Inventory, January, 1898	Table	
199		Principal articles delivered to Purveyors' districts, etc. [Districts, Fire hydrants, Wedge stop valves, Rotary stop valves, Plugs, Stop boxes, Stop box risers, Fire hoe heads, Fish traps]	Table	
200		Principal articles manufactured	Table	
201	Appendix E, Report of Assistant in Charge of Hydrographic Work, January 1, 1898 [of John E. Codman]			
204		A heavy fall of rain recorded at Reading, Inches of rainfall	Table	
205		[Overview of the tables, which accompany the report]	Table	
206		Computed flow of the Schuylkill river into Fairmount pool	Table	

210		Table II. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Philadelphia for the year 1897	Table	
210		Table I. Monthly precipitation on sundry watersheds, compared with U. S. Weather Bureau observations, at Philadelphia, 1897 [U.S. Weather Bureau, Water Bureau Automatic, Water Bureau Ground Gauge, Pennsylvania Hospital, Germantown, Lebanon, Reading, Pottstown, Browers, Hamburg, Seisholtzville, Frederick, Easton, Moorestown, West Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown]	Table	
211		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at forks of the Neshaminy for the year 1897	Table	
212		Table IV. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Frederick, for the year 1897	Table	
213		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy, and Tohickon Creeks. [Watersheds, Area in miles, Percentage of total area [Woodland, Cultivated, Flats, Roads], Monthly average for fourteen years (1883-1897)]	Table	
214		Table VI. Average annual yield of sundry watersheds to October 1, 1897	Table	

214		Table VII. Comparative daily stream flow, 1896 and 1897 [Watersheds, Area of watershed, Maximum [Gallons, Date], Minimum [Gallons, Date], Maximum per sq. mile, minimum per sq. mile]	Table	
215		Table VIII. Evaporation from water surface at Queen Lane reservoir [Months, Temperature, Rainfall, Evaporation, Observations lost]	Table	
216		Minimum flow of Schuylkill River at Vincent Dam as deduced from minimum flow at Fairmount and from observations on stream flow of Perkiomen Creek [Years, A. Schuylkill at Fairmount. Millions of gallons per day. (Smith), B. Perkiomen at Springmount. Thousands of gallons per sq. mile per day (Codman.), Schuylkill at Vincent. Millions of gallons per day. Deduced from (Smith.) (Codman.), Duration of flow of less than 230 million gallons per day at Vincent. (Smith.)]	Table	
216		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy, Tohickon and Wissahickon watersheds [Oct. 1896 - Dec. 1897]	Table	
217-230		Table of stream flow in the Perkiomen, Neshaminy and Tohickon, 1883-1897 [Months, Total rainfall in inches, Stream flow from gaugings [Inches flowing in stream, Loss or evaporation, Average loss for years, Cubic feet per Minute per sq. mile, Gallons per 24 hours per sq. mile]]	Table	

231	Appendix F, Report of Chief Draftsman [John E. Codman], January 20, 1898			
231		[204 drawings made]	Table	
234		Estimates of first cost of existing works for the Water supply of Philadelphia (exclusive of real estate), January, 1898 [I. Pumping Stations, A. Stations taking from rivers [Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Frankford]. B. High-Service Stations [Mount Airy, Chestnut Hill, Roxborough, Belmont]. Recapitulation [Pumping engines, Boilers, Buildings, intakes, etc., Sundries]. II. Reservoirs and stand-pipes. III. Distribution. Recapitulation]	Table	
240		Stream flow, 1896 - Perkiomen Creek at Frederick	Graph	15 3/8 in. x 11 15/16 in.
240		Stream flow, 1896 - Neshaminy Creek below forks	Graph	15 3/8 in. x 11 15/16 in.
240		Stream flow, 1896 - Tohickon Creek	Graph	15 3/8 in. x 11 15/16 in.
240		Stream flow, 1897 - Perkiomen Creek at Frederick	Graph	15 3/8 in. x 11 15/16 in.
240		Stream flow, 1897 - Neshaminy Creek below forks	Graph	15 7/16 in. x 11 15/16 in.
240		Stream flow, 1897 - Tohickon Creek	Graph	15 3/8 in. x 11 15/16 in.
240		Stream flow, 1897 - Wissahickon Creek	Graph	16 3/8 in. x 11 15/16 in.