



This material is part of the collection of the  
Philadelphia Water Department  
and was downloaded from the website  
[www.phillyh2o.org](http://www.phillyh2o.org)

Please contact the PhillyH2O webmaster  
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
I	Ninety-sixth [seventh?] annual report of the Bureau of Water for the year ending December 31, 1898 and fourth annual message of Charles F. Warwick, Mayor of the City of Philadelphia with annual report of Thomas M. Thompson, Director of the Department of Public Works, issued by the City of Philadelphia 1898	<b>Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0137</b>	
III	Office of the mayor [List of staff]		
V	Fourth annual message [of Chas. F. Warwick], Office of the Mayor, City Hall, April 3, 1899		
V	Finance		
IX	Loan Bill		
XII	Department of Public Safety		
XII	Bureau of Police		
XIII	Bureau of Fire		
XIV	Electrical Bureau		
XV	Bureau of Health		
XVI	Bureau of City Property		
XVII	Bureau of Building Inspection		
XVII	Bureau of Boiler Inspection		
XVII	Department of Public Works		
XVIII	Bureau of Highways		
XVIII	Bureau of Street Cleaning		
XX	Bureau of Surveys		
XXIII	Bureau of Water		
XXIV		Receipts, expenses of Bureau of Water	Table
XXXII	Department of Charities and Correction		
1	Annual Report of the Department of Public Works for the year ending December 31, 1898		
3	Officers of the Department of Public Works		
5-59	Twelfth annual report of the Department of Public Works. Thomas M. Thompson, Director. January 3, 1899		
6	City ice boats		
8	Bureau of Highways		

16	Board of Highway supervisors		
19	Bureau of Lighting		
21	Bureau of Street Cleaning		
26	Bureau of Surveys		
26	Main sewers		
27	Intercepting system		
27	Cohocksink system		
30	Branch sewers and inlets		
31	Revision of city plans		
31	Bridges		
32	Gray's ferry bridge		
34	Pennsylvania Avenue Subway		
35	Improvement of channels, Delaware and Schuylkill		
37	Widening of Delaware Avenue and extension of City		
39		Summary of receipts and expenses of district Surveyors	Table
40	Registry Division		
41		Summary of the operations of the Registry Division of the Bureau of Surveys during the years 1895-1898	Table
42		Comparative summary of main, branch and private sewers and bridges built during the years 1895-1898	Table
42		Comparative statement of work upon bridges during the years 1895-1898	Table
43		Comparative statement of receipts	Table
43		Comparative statement of expenditures	Table
43	Bureau of Water [Summary report of Director of Department of Public Works]		
44		Total receipts, Current expenses, Paid for extensions 1895-1898	Table
48		Summary of extensions and improvements needed in the Bureau of Water [Roxborough Pumping Station, Belmont Pumping Station, Roxborough High Service Station, Belmont High Service Station, Queen Lane Pumping Station, Spring Garden Pumping Station]	Table
48	Reservoir		
49	Supply mains		
52		Statement of the number and type of engines and their several aggregate capacities at the various stations	Table
53		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table
54		Comparative statement of pumpage for the years 1895, 1896, 1897 and 1898 [Pumped to reservoirs, Equal to gals. pumped 100 feet high]	Table

54		[Statement of pumpage for the years 1895-1898 [Pumped by water power; pumped by steam power; largest quantity pumped in 24 hours; smallest quantity pumped in 24 hours]	Table
55		[Consumption, Cost of 1,000,000 gallons pumped 100 ft. high 1895-1898]	Table
55		[Fraction of pumpage by water power]	Table
56		A comparative statement of the total pipe laid and of other work done during the years 1895, 1896, 1897 and 1898 [pipe laid, pipe relaid, fire hydrants placed in position, substituted for defective hydrants, fire hydrants in use, new water attachments]	Table
57		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1898, and totals for the years 1895, 1896 and 1897	
57		Comparative statement of receipts and expenditures for the years 1895, 1896, 1897 and 1898. Receipts	Table
		Comparative statement of receipts and expenditures for the years 1895, 1896, 1897 and 1898. Expenditures	
57	Director's office		
58		Comparative statement of the expenditures of the Director's office 1895-1898	Table
58	Appropriations, 1899		
58		[Appropriation to the Department of Public Works for 1899 with a statement of balances from previous years]	Table
61	Annual report of the Bureau of Water for the year 1898 [of John C. Trautwine]		
63	Officers of the Bureau of Water	[Partial list] Chief: John C. Trautwine, Assistants: Allen J. Fuller, William Whitby, Draughtsmen: John E. Codman, William Farrell, John R. Gorman, Martin Murphy, Chief Clerk: Job T. Hickman, Assistant Clerk: James G. Dixon, Correspondence Clerk: P. deHaven, Search Clerk: H. J. Johnson, Assistant Search Clerk: Wm. J. Duffy, Clerk: Thomas Spence, Assistant Clerk: K. McNeal, J. J. Barney, Time Clerk: W. J. Innes, Pipe Inspector: Theodore S. S. Baker, Pipe Clerk: George G. Whitby, Messenger: Haines Lewis, General Superintendent: F. L. Hand, Clerk to General Superintendent: John A. Hayes, Assistant Clerk to General Superintendent: John B. Wright	
65	Annual Report of the Bureau of Water for the year 1898, Twelfth annual report of the Bureau of Water, ninety-seventh annual report of operations connected with the city water supply [of John C. Trautwine]		
66	Continued starvation		
66	Immediate needs. Waste of water		
66		250 Million gallons (100 feet square, 3,300 feet long.) Market Street, looking east from seventh street to Delaware river. Average consumption, Philadelphia, 1898, 275 million gallons per day	Photograph
67	Magnitude of system		
67	Water meters		
68	No outside assistance needed		
68		Consumption of water, total and per capita, in Philadelphia	Graph
69	Schuykill Valley Water Company		

69	Insufficiency of engineering force		
70	What the engineering force should be		
70	Supply from a distant source		
71	Ample supply at our doors		
72	Filtration		
73	Slow sand filtration		
74	Philadelphia's exceptional opportunity		
74	Initial plant recommended		
75	Reports on filtration		
76	Basin no. 3, Belmont reservoir		
79	Appropriations granted		
79		Small appropriations for extensions and improvements, which were granted during 1898	Table
80		Most pressing of the needs of the Roxborough station	Table
80		Frame house over pump no. 4, at Belmont Station, Philadelphia	Photograph
81	Appropriations cut		
82	Appropriation for hydrographic survey disallowed		
83	Queen Lane and Roxborough Reservoirs		
84	Sanitary investigations		
85	Fire-pipe lines		
85	Additional fire hydrants		
86	New offices in City Hall		
87	Conclusion		
88		Pumpage diagram for the year 1898 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
89	[Overview of appendices]		
90	Appendix A, Report of Chief Clerk, February 3, 1899 [of J. T. Hickman]		
92-94		List of miscellaneous receipts for the year 1898	Table
94		Receipts from operations of the Bureau of Water, as reported by the receiver of taxes [Water rents by schedule on existing connections [current, delinquent], on new connections, by meter current and delinquent, Penalties [current and delinquent], Frontage charges [paid to receiver of taxes, collected by city solicitor], Fees for searches, Charge for ferrules on new connections, Miscellaneous, Totals]	Table
95-105		Detailed expenditure of the Bureau for 1898	Table
106		Detailed expenditures of the Bureau for 1898, Recapitulation	Table
106		Receipts from the operations of this Bureau together with the estimates of requirements, the amounts rendered available by appropriations etc. and the amounts expended	Table

106	Requirements and appropriations		
107-108		Statement showing the estimates of the Bureau for the year 1899 and the amounts appropriated	Table
109-126	Appendix B, Report of the General Superintendent, Jan. 20, 1899 [of F. L. Hand]		
110		Comparison of pumpage for 1897 and 1898	Table
111		Cost of raising 1,000,000 gallons 100 feet during 1897 and 1898	Table
111		Volume and cost of pumpage for the years 1888 to 1898 inclusive	Table
112-113		Daily pumpage, Table showing the nominal, minimum and average daily pumpage for 1897 and 1898	Table
114	Fairmount		
114	Spring Garden Pumping Station		
115	Belmont Pumping Station		
116	Queen Lane Pumping Station		
116		The additional cost of coal for Queen Lane station during 1896 - 1898, owing to lack of proper facilities for its delivery	
117	Roxborough Pumping Station		
118	Frankford Pumping Station		
118	The High-Service Stations		
118	Reservoirs		
120		Description of pumping machinery of the Bureau of Water, Philadelphia, 1898 [Pumping stations, Designated number of engine or turbine, Types of engines, Designated capacity - million gallons per day, Steam engines and pumps: High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps. Pumping Station, Type of boilers, Steam boilers+C118]	Table
122		Belmont High Service Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oil, Mean water pressure]	
122		Fairmount Pumping Station [numbers concerning the turbines - Capacity, Running time, Gallons pumped, Oils]	Table
122		Old Spring Garden Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table
122		New Spring Garden Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table
122		Belmont Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table
122		Queen Lane Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oil, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table

123		Roxborough Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per square inch, Gallons raised 100 feet per pound of coal]	Table
124		Roxborough High Service Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oil, Mean water pressure]	Table
125		Mount Airy High Service Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oil, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table
126		Chestnut Hill High Service Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oil, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table
126		Frankford Pumping Station [numbers concerning the engines - Capacity, Running time, Gallons pumped, Coal, Percentage of ashes, Oils, Mean water pressure and mean suction lift in pounds per sq. inch, Gallons raised 100 feet per pound of coal]	Table
126		Total gallons pumped and consumed during 1898 [Months, Pumpage (Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Frankford), Consumption, Average daily consumption, High Service Pumpage (Belmont Aux., Roxborough Aux., Mt. Airy, Chestnut Hill., Total, Average daily), Total pumpage, Average per day, Percentage of pumpage, Maximum gallons for one day, Minimum gallons for one day, Total steam pumpage, Total water pumpage]	Table
126		Current expenses and work of the pumping stations for the year 1898 [Stations: Pay of employees at stations, Coal, Lubricating oils and grease, Lighting, Repairs to boilers and machinery, Small stores, Total expenses, Total gallons pumped, Lift in feet including suction and friction, Gallons pumped 100 feet high suction and friction included, Cost of raising one million gallons one hundred feet, Percentage of work done at each station, Height of surface of basins above pumps in feet]	Table
127	Appendix C, Report of Assistant in Charge of Distribution, January 20, 1899 [of Allen J. Fuller]		
131		Mains needed [Pumping main, Supply Mains: Belmont System, Corinthian System, Fairmount System, East Park System, Queen Lane System]	Table
132	Evidence of waste of water		
133		Average consumption [of the block between Huntingdon Street and Lehigh Avenue and Ninth and Hutchinson Streets]	Table
134		Consumption of water during twenty-four hours [comparison of the consumption of water during the four quarters of the day as an evidence of wasting water]	Table
135	Pennsylvania Avenue Subway		
136		[Results of tests of two 48-inch mains in Twenty-fourth Street, which have been equipped with reduced sections] [Velocity, Discharge in 24 hours, Loss of head]	
136		Cross section of Pennsylvania Ave subway at Twenty-fourth St., showing reduction of the 48-inch main at the centre	Engineering drawing

136		View at Twenty-fourth street and Pennsylvania Avenue subway, showing method of supporting 48 inch mains	Photograph
137	Meters		
138	Pipe cleaning		
140	Broken mains		
141	Mains		
141		New work [Mains laid, Connetions]	Table
142		Comparison of conditions relating to the distribution 1897-1898	Table
142		Meters	Table
142		Number of dwellings and of principal appliances for the use of City water	Table
143		Repairs	Table
143		Abandoned	Table
143		Fire hydrants	Table
144	Drills for attachments		
		New attachments to the mains	Table
144	Meters		
144		Schedule of pipe and special castings rejected and accepted during the year 1898 [Manufacturer (for Bureau of Water, for Bureau of Surveys account of Penna. Ave. Subway, For Contractors private), Size-inches, Ordered, Inspected, Rejected, Cancelled, Accepted]	Table
145	[Report of Chief Pipe Inspector Theo. S. S. Baker, January 20, 1899]		
146		Service and supply mains laid during 1898, First district	Table
147		[Service and supply mains laid during 1898], Second district	Table
148		[Service and supply mains laid during 1898], Third district	Table
149		[Service and supply mains laid during 1898], Fourth district	Table
150		[Service and supply mains laid during 1898], Fifth district	Table
150		Recapitulation of work on water pipes [New pipe or feet added, pipe used but adding nothing to feet in ground, total handled, pipe cut off and abandoned: purposes for which used, size in inches, total in feet and pounds]	Table
150		Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in the ground, Total handled, Pipe cut off and abandoned: districts, size in inches, feet, pounds]	Table
151		[Service and supply mains laid during 1898], Sixth district	Table
152-154		Alterations to water pipes on line of Pennsylvania Avenue Subway	Table
155		Total feet of pipe in use December 31, 1898 [Size in inches, Total in use Dec. 31 1897, Extensions and relays during 1898, Total, Deductions during 1898, Total in use Dec. 31, 1898]	Table
156	Broken mains		
156		Breaks for which no special reason could be assigned occurred in the following named mains	Table



156		Breaks caused by sewer contractors, by street cleaners in their rough usage of fire hydrants, by water freezing in the pipes, and various other causes	Table
157		Recapitulation of fire hydrants set, renewed and removed	Table
158-159		Fire hydrants by wards	Table
160		Statement of the number of fire hydrants by districts and wards during 1898, and total previous thereto	Table
160		Number of attachments for fire purposes previously reported	Table
161		Fire hydrants by purveyors' districts	Table
162		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, arranged by districts [New attachments, shut off by permit, work done without permit]	Table
163		Permits issued during the year 1898	Table
164-165		Premises supplied and appliances [fixtures] in use January 1, 1899	Table
166		Table "A." Service attachments laid to the curb (on streets to be paved or repaved) by the Bureau of Water	Table
166		Account of new stops and check valves for 1898	Table
167		Repairs to mains, stops and fire hydrants, also stops and fire hydrants removed during 1898	Table
167		Check valves put in	Table
168-169		Total number of stop valves in the City - arranged by districts	Table
170		Number of valves raised in the several districts during the year 1898 [Districts, Barton, Viney, Single Gate]	Table
171		Number of complaints and examinations during 1897 and 1898 [Months, hydrants, service pipes, wash-paves, spigots, water-closets, horse troughs, no leaks, total]	Table
172-180		New meters set [Wards, occupant, location, business, date when set, name of meter, size, total, gallons consumed, remarks]	Table
180		General summary of meter operations for the year 1898	Table
180		Miscellaneous work [Meters repaired; meters used in service; meters purchased; meters tested, examinations, miscellaneous]	Table
181		Attachments made and delivered to districts during the year 1898	Table
182-183		Distribution expenses during the year 1898, including expenses of Main office, Purveyors' districts and meter shops	Table
185-190	Appendix D, Report of the Superintendent of the Construction and Repair Shop, Twelfth and Reed streets for the year 1898, Jan. 9, 1899 [of James H. Dean, Superintendent of Shop]		
186		Merchandise [Drafts] [by types of materials and supplies]	Table
186		Merchandise [Credits] [by districts, locations, project types]	Table
187		Inventory, January 1, 1899	Table
189		Principal articles delivered to Purveyors' districts, etc.	Table
190		Principal articles manufactured during 1898	Table

191-200	Appendix E, Report of Assistant in Charge of Hydrographic Work, Jan. 31, 1899 [of John E. Codman]		
193		[Overview of the tables, which accompany the report	Table
196		Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia for the year 1898	Table
196		Table I. Monthly precipitation on sundry watersheds, compared with U. S. Weather Bureau observations at Philadelphia. [U.S. Weather Bureau, Water Bureau Auto, Water Bureau Ground Gauge, Pennsylvania Hospital, Germantown, Lebanon, Reading, Pottstown, Browsers, Hamburg, Seisholtzville, Frederick, Easton, Moorestown, West Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown]	Table
197		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at forks of the Neshaminy, for the year 1898	Table
198		Table IV. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Frederick for the year 1898	Table
199		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy, and Tohickon Creeks.1883-1898. [Watersheds, Area in miles, Percentage of total area [Woodland, Cultivated, Flats, Roads], Monthly average for 15 years (1883-1898)]	Table
200		Table VI. Average annual yield of sundry watersheds to October 1, 1898	Table
200		Table VII. Comparative daily stream flow, 1897 and 1898 [Watersheds, Area of watershed, Maximum gallons, Date, Minimum gallons, Date]	
200		Table VIII. Precipitation and stream flow on Wissahickon and Schuylkill watersheds [Oct. 1897 - Dec. 1898]	Table
200		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds [Oct. 1897 - Dec. 1898]	Table
200		Stream flow, 1898 - Perkiomen Creek at Frederick	Graph
200		Stream flow, 1898 - Neshaminy Creek below forks	Graph
200		Stream flow, 1898 -Tohickon Creek	Graph
201	Appendix F, Report of Chief Draftsman [John E. Codman], January 31, 1899		
201		[165 drawings made]	Table
205-230		Tests of steel boiler plates, Made by John E. Codman, Chief Draughtsman, Bureau of Water, Department of Public Works, at Lukens Steel Co., Limited, Coatesville, Pennsylvania, September 1898 [Marks, Measurements, Applied load, Strain in pounds per sq. inch., Elongation in eight inches, Reduction of Area, Remarks]	Table
231-251		Tests of steel boiler plates, made by John E. Codman, Chief Draughtsman, Bureau of Water, Department of Public Works, at Lukens Steel Co., Limited, Coatesville, Pennsylvania, November 1898 [Marks, Measurements, Applied load, Strain in pounds per sq. inch., Elongation in eight inches, Reduction of Area, Remarks]	Table