



This material is part of the collection of the
Philadelphia Water Department
and was downloaded from the website
www.phillyh2o.org

Please contact the PhillyH2O webmaster
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
I	Ninety-seventh annual report of the Bureau of Water for the year ending December 31, 1899 and first annual message of Samuel H. Ashbridge, Mayor of the City of Philadelphia with annual report of William C. Haddock, Director of the Department of Public Works, issued by the City of Philadelphia 1900	Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0146	
III	Office of the mayor [List of staff]		
V	First annual message [of Samuel H. Ashbridge], Office of the Mayor, City Hall, April 2, 1900		
VI	Department of Public Safety		
VI	Bureau of Police		
VII	Bureau of Fire		
IX	Bureau of Building inspection		
X	Boiler inspection		
X	Electrical Bureau		
XI	Bureau of Health		
XII	City property		
XIV-XXII	Department of Public Works		
XIV	Bureau of Water		
XIX	Bureau of Surveys		
XX	Ninth Street grade crossing		
XXI	Bureau of Highways		
XXII	City ice boats		
XXII	Bureau of Gas		
XXII	Bureau of Street Cleaning		
XXII	Department of Charities and Correction		
XXIII	Department of Education		
XXIII	Department of Law		
XXIV	City Controller		
XXIV	Sinking Fund Commission		
1	Annual Report of the Department of Public Works for the year ending December 31, 1899		
3	Officers of the Department of Public Works		
5-55	Thirteenth annual report of the Department of Public Works. William C. Haddock, Director. January 2, 1900.		

7	City ice boats		
8	Bureau of Gas		
10	Bureau of Highways		
17	Board of Highway supervisors		
20	Bureau of Lighting		
22	Bureau of Street Cleaning		
25	Bureau of Surveys		
25	Main sewers completed during the year 1899		
25	Main sewers under contract		
26	Important main sewers recommended to be built		
30	Branch sewers		
30	Testing laboratory		
31	Bridges		
33	Pennsylvania Avenue subway and tunnel		
34	Dredging Delaware and Schuylkill Rivers		
35	District Surveyors		
37		Summary of receipts and expenses of district Surveyors	Table
38	Registry Division		
38		Summary of the operations of the Registry Division of the Bureau of Surveys during the year 1899	Table
39		Summary of main, branch and private sewers and bridges built during the year 1899	Table
39		Statement of work upon bridges during the year	Table
39		Statement of receipts	Table
40		Statement of expenditures	Table
40	Bureau of Water [Summary report of Director of Department of Public Works]		
45		Statement of the number and type of engines and their several aggregate capacities at the various stations	Table
46		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table
47		Statement of pumpage for the year 1899 - Pumped to reservoirs, Equal to gallons pumped 100 feet high	Table
47		[Statement of pumpage for the years 1899 [Pumped by water power; pumped by steam power; largest quantity pumped in 24 hours; smallest quantity pumped in 24 hours]	Table
47		[Consumption 1899, Cost of 1,000,000 gallons pumped 100 feet high]	Table
47		[Fraction of pumpage by water power]	Table
48		Statement of the total pipe laid and of the other work done during the year 1899 [pipe laid, pipe relaid, fire hydrants placed in position, substituted for defective hydrants, fire hydrants in use, new water attachments	Table
49		Statement of receipts and expenditures for the year 1899	Table
49	Improvement of water supply		

49	Resolution		
52	An ordinance		
53	Director's office		
54		Expenditures of the Director's office	Table
54		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1899	Table
55		[Appropriation to the Department of Public Works for 1900 with statement of balances from previous years]	Table
57	Annual report of the Bureau of Water for the year 1899 [of F. L. Hand]	[Partial list] Chief: John C. Trautwine, Acting Chief: F. L. Hand, Assistants: Allen J. Fuller, William Whitby, Draughtsmen: John E. Codman, John R. Gorman, F. C. Dunlap, Martin Murphy, Chief Clerk: Job T. Hickman, Assistant Clerk: Thomas Spence, Correspondence Clerk: P. DeHaven, Search Clerk: H. J. Johnson, Assistant Search Clerk: Wm. J. Duffy, Clerk: George G. Whitby, Assistant Clerk: K. McNeal, J. J. Barney, Time Clerk: W. J. Innes, Pipe Inspector: Theodore S. S. Baker, Pipe Clerk: Vacancy, Messenger: Haines Lewis, General Superintendent: F. L. Hand, Clerk to General Superintendent: John B. Wright, Assistant Clerk to General Superintendent: John B. Wright	
59	Officers of the Bureau of Water		
61	Annual Report of the Bureau of Water for the year 1899, Thirteenth annual report of the Bureau of Water, ninety-eighth annual report of operations connected with the city water supply [of F. L. Hand]		
62	Future supply		
63	Commission on the extension and improvement of the water supply of the City of Philadelphia		
75	Proposed basin no. 3, Belmont reservoir		
76	Hopper closet ordinance		
76		Consumption of water, average daily per month, 1898-1899	Graph
77	General conditions		
78		Statement showing the additions and improvements to the pumping machinery contracted for during the year	Table
80		Comparison of pumpage for 1898 and 1899	Table
81		Volume and cost of pumpage for the years 1889 to 1899, inclusive	Table
81		Cost of raising 1,000,000 gallons 100 feet during 1898 and 1899	Table
82-83		Daily pumpage. Table showing the nominal, maximum, minimum and average daily pumpage for 1898 and 1899	Table
84	Fairmount Station		
84	Spring Garden Pumping Station		
84	Belmont Pumping Station		

86	Queen Lane Pumping Station		
86	Roxborough Pumping Station		
88	Frankford Pumping Station		
89		New Spring Garden Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet per pound of coal]	Table
89		Old Spring Garden Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet per pound of coal]	Table
89		Fairmount Pumping Station [numbers concerning the turbines - capacity, running time, gallons pumped, oils]	Table
90		Belmont Auxiliary Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure]	Table
90		Belmont Pumping Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet per pound of coal]	Table
90		Queen Lane Pumping Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet per pound of coal]	Table
90		Roxborough Pumping Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet per pound of coal]	Table
91		Roxborough Auxiliary Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure]	Table
92		Mount Airy Pumping Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per sq.in., gallons raised 100 feet per pound of coal]	Table
93		Chestnut Hill Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per sq. inch, gallons raised 100 feet per pound of coal]	Table
94		Frankford Pumping Station [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per sq. inch, gallons raised 100 feet per pound of coal]	Table
94		Description of pumping machinery of the Bureau of Water, Philadelphia, 1899 [Pumping stations: Designated number of engine or turbine, Types of engines, Designated capacity - million gallons per day, Steam engines and pumps: high pressure cylinder, int. pressure cylinder, low pressure cylinder, air pumps, forcing pumps, Pumping station, Type of boiler, steam boilers]	Table

94		Pumpage diagram for the year 1899 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
94		Current expenses and work of the pumping stations for the year 1899 [Stations: Pay of employees, Coal, Lubricants oils and grease, Lighting, Repairs to boilers and machinery, Small, Total expenses, Total gallons pumped, Lift in feet including suction and friction, Gallons pumped 100 feet high suction and friction included, Cost of raising one million gallons one hundred, Percentage of work done at each station, Height of surface of basins above pumps in feet]	Table
94		Total gallons pumped during 1899 [Months, Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Frankford, Consumption, Average daily consumption, Supplementary pumpage (Belmont Aux., Roxborough Aux., Mt. Airy, Chestnut Hill, Total, Average Daily), Total pumpage, Average per day, Percentage of pumpage, Maximum gallons for one day, Minimum gallons for one day, Total steam pumpage, Total water pumpage]	Table
95	[Overview of appendices]		
97	Appendix A, Report of Chief Clerk, Jan 22, 1900 [of J. T. Hickman]		
98-109		Detailed expenditure of the Bureau for 1899	Table
109		Recapitulation	Table
110		Receipts from operations of the Bureau of Water, estimates of requirements, amounts rendered available by appropriations etc., and amounts expended [1892-1899]	Table
111-113		List of miscellaneous receipts for the year 1899	Table
113		Receipts from operations of the Bureau of Water, as reported by the receiver of taxes [Water rents, Penalties, Frontage charges, Fees for searches, Charges for Ferrules on new connections, Miscellaneous, Total]	Table
114	Appendix C, Report of the Assistant in Charge of Distribution, Jan 19, 1900 [of Allen J. Fuller]		
116		Inspection of properties and reinspection in Germantown to prevent waste of water	Table
116		Total number of leaky fixtures discovered and afterwards repaired [also cost of inspections, and cost per leaky fixture found]	Table
118	New pumping mains		
119		Mains to be laid during 1900	Table
119	Venturi meters		
120		Belmont pumpage during 1899	Table
121		The discharge through the Venturi meter on the 20-inch main supplying Shawmont water to the Roxborough and Manayunk districts	Table
122	Pitot meters		
122		Quantity of water consumed in several water districts	Table
122		Meters for private supplies	Table

124	District yards		
124	Mains		
124		New work [Mains laid, Connetions]	Table
125		Comparison of conditions relating to the distribution 1898-1899	Table
125		Meters	Table
125		Number of dwellings and of principal appliances for the use of City water	Table
126		Repairs	Table
126		Abandoned	Table
126		Fire hydrants	Table
127		Drills for attachments	Table
128	[Report of Chief Inspector Theo. S. S. Baker, Jan. 26, 1900]		
129-130		Schedule of pipe and special castings rejected and accepted during the year 1899 [Manufacturer, Size-inches, Ordered, Inspected, Rejected, Cancelled, Accepted]	
131		Service and supply mains laid during 1899, First district	Table
132		[Service and supply mains laid during 1899], Second district	Table
133		[Service and supply mains laid during 1899], Third district	Table
134		[Service and supply mains laid during 1899], Fourth district	Table
135		[Service and supply mains laid during 1899], Fifth district	Table
136		[Service and supply mains laid during 1899], Sixth district	Table
137		Recapitulation of work on water pipes [New pipe or feet added, pipe used but adding nothing to feet in ground, total handled, pipe cut off and abandoned: purposes for which used, size in inches, total in feet and pounds]	Table
137		Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in the ground, Total handled, Pipe cut off and abandoned: districts, size in inches, feet, pounds]	Table
138		Alterations to water pipes on line of Pennsylvania Avenue Subway	Table
139		Total feet of pipe in use December 31, 1899 [Size in inches, total in use Dec. 31, 1898, extensions and relays during 1899, total, deductions during 1899, total in use Dec. 31, 1899]	Table
140	Broken mains		
140		Breaks for which no special reason could be assigned	Table
140		Breaks caused by sewer contractors and street cleaners in their rough usage of fire hydrants, by water freezing in the pipes and by various other causes	Table
141		Recapitulation of fire hydrants, set, renewed and removed	Table
142-143		Fire hydrants by wards	Table
144		Statement of the number of fire hydrants by districts and wards during 1899, and total previous thereto	Table
144		Number of attachments for fire purposes previously reported	Table
145		Fire hydrants by purveyors' districts	Table

146		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, arranged by districts [New attachments, shut off by permit, work done without permits]	Table
147		Permits issued during the year 1899	Table
148-149		Premises supplied and appliances [fixtures] in use January 1, 1900	Table
150		Table "A." Service attachments laid to the curb (on streets to be paved or repaved) by the Bureau of Water	Table
150		Account of iron stop-boxes, new stops and check valves for 1899	Table
151		Repairs to mains, stops, and fire hydrants, also stops and fire hydrants removed during 1899	Table
151		Check valves put in	Table
152-153		Total number of stop valves in the City arranged by districts	Table
154		Number of valves raised in the several districts during the year 1899	Table
155		Number of complaints and examinations during 1898 and 1899 [Months, hydrants, service pipes, wash-paves, spigots, water-closets, horse troughs, no leaks, total]	Table
156-161		New meters set [Occupant, location, business, date when set, name of meters, size, total, gallons consumed, remarks]	Table
162		New attachments made and delivered to districts during the year 1899	Table
162		General summary of meter operations for the year 1899	Table
162		Miscellaneous work [Meters repaired; meters used in service; meters purchased; meters tested, examinations, miscellaneous]	Table
163-164		Distribution expenses during the year 1899, including expenses of Main office, Purveyors' districts and meter shops	Table
165-171	Appendix D, Report of the Superintendent of Construction and Repair Shop, Twelfth and Reed streets for the year 1899, Jan. 12, 1900 [of James H. Dean, Superintendent of Shop]		
166		Merchandise [Drafts] [by types of materials and supplies]	Table
166		Merchandise [Credits] [by districts, locations, project types]	Table
167		Inventory, January 1, 1900	Table
170		Principal articles delivered to Purveyors' districts, etc.	Table
171		Principal articles manufactured during 1899	Table
172-179	Appendix E, Report of the Chief Draftsman for the year 1899, Jan. 18, 1900 [of John E. Codman]		
172		[257 drawings made]	Table
175-179		Tests of steel boiler plates [Marks, Measurements, Applied load, Strain in pounds per sq. inch., Elongation in eight inches, Reduction of Area, Remarks]	Table
180-188	Appendix F, Report of Assistant in Charge of Hydrographic Work, January 17, 1900 [of John E. Codman]		

181		A comparison of the rainfall on the watersheds of the Schuylkill river and the amount of water found flowing in the river for the years 1898 and 1899	Table
182		[Overview of the tables, which accompany the report	
182		Table I. Monthly precipitation on sundry watersheds, compared with U. S. Weather Bureau observations at Philadelphia.U.S. Weather Bureau, Water Bureau Auto, Water Bureau Ground Gauge, Pennsylvania Hospital, Germantown, Lebanon, Reading, Pottstown, Browsers, Hamburg, Seisholtzville, Frederick, Easton, Moorestown, West Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown	Table
184		Table II. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Philadelphia for the year 1899	Table
185		Table III. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at forks of the Neshaminy for the year 1899	Table
186		Table IV. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Frederick for the year 1899	Table
187		Table V. Inches of rain fall flowing in the Perkiomen, Neshaminy and Tohickon Creeks.1883-1899. [Watersheds, Area in miles, Percentage of total area (Woodland, Cultivated, Flats, Roads), Monthly average for 16 years 1883-1899]	Table
188		Table VI. Average annual yield of sundry watersheds to October 1st	Table
188		Table VII. Comparative daily stream flow, 1898 and 1899. Watersheds, Area of watershed, Maximum gallons, Date, Minimum gallons, Date	
188		Stream flow, 1899 - Perkiomen Creek at Frederick	Graph
188		Stream flow, 1899 - Neshaminy Creek below forks	Graph
188		Stream flow, 1899 -Tohickon Creek	Graph
188		Table VIII. Precipitation and stream flow on Wissahickon and Schuylkill watersheds [Oct. 1898 - Dec. 1899]	Table
188		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds [Oct. 1898 - Dec. 1899]	Table