



This material is part of the collection of the
Philadelphia Water Department

and was downloaded from the website

www.phillyh2o.org

Please contact the PhillyH2O webmaster
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
I	One hundred and first annual report of the Bureau of Water for the year ending December 31, 1902 and fourth annual message of Samuel H. Ashbridge , Mayor of the City of Philadelphia with annual report of William C. Haddock, Director of the Department of Public Works, issued by the city of Philadelphia 1903	Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0155	
III	Office of the mayor [List of staff]		
V	Fourth annual message [of Samuel H. Ashbridge], Office of the Mayor, City Hall, April 6, 1903		
X-XIX	Department of Public Safety		
XI	Bureau of Police		
XII	Bureau of Fire		
XIV	Bureau of Building inspection		
XV	Boiler inspection		
XVI	Electrical Bureau		
XVI	Bureau of Health		
XVII	Bureau of City property		
XIX-XVIII	Department of Public Works		
XIX	Bureau of Water		
XXI	A resume of filtration work		
XXIII		[Materials used in constructing the filtration plants during the last two years]	Table
XXIII	Preliminary filters		
XXVI		[Cost of the installation of filter plants]	Table
XXVI	Errors of experts [Comments of the Bureau of Water on the report of a panel of experts who reviewed the designs of the filtration plants (value engineering review)]		
XXVII		[Data showing the need of additional filter surface (Belmont, Roxborough, Queen Lane, Torresdale station: Experts allowance MGD, Number of filters, Gross capacity of filters 3 MGD, Reserve capacity)]	Table
XXVII		[Belmont, Roxborough, Queen Lane, Torresdale station: Estimated cost of filters, Increased per centage required, Increased cost]	Table
XXVIII		Experts' estimate as revised by the addition of charges overlooked by them [value engineering estimate increased by the Bureau of Water]	Table
XXX	Filtration and ordinary betterments		

XXX		Amounts which will be charged respectively to filtration and ordinary betterments upon completion of the work - Service [Station], Item, Charge to filtration, Charge to ordinary betterments	Table
XXXI		Annual direct money gains to the population, assuming a reduction in the typhoid fever rate of 80 per cent, when the entire City is supplied with filtered water [Financial benefits of filtration]	Table
XXXI	Water Waste		
XXXIII		[Population supplied and the consumption of water in fifteen of the largest cities in the U.S.]	Table
XXXIII	Cost of improvements elsewhere		
XXXIV	Bureau of Surveys		
XXXVI	Bureau of Highways		
XXXVII	Bureau of City ice boats		
XXXVII	Bureau of Gas		
XXXVIII	Bureau of Lighting		
XXXVIII	Bureau of Street cleaning		
XXXIX- XLIII	Department of Charities and Correction		
XL	Bureau of Charities		
XLII	Bureau of Correction		
XLIII	Department of Education		
XLIII	City Controller		
XLIV	Free Library		
1	Annual Report of the Department of Public Works for the year ending December 31, 1902		
3	Officers of the Department of Public Works		
5-85	Sixteenth annual report of the Department of Public Works. William C. Haddock, Director. January 2, 1903.		
7	Bureau of Surveys		
7	Main sewers		
15	Branch sewers		
15		Total length of sewers built prior to 1899	Table
16		Sewers built during the past four years	Table
16	Bridges		
18	Harbor work and dredging Delaware and Schuylkill rivers		
19	Pennsylvania Avenue Subway and Tunnel		
20	Widening Delaware Avenue, etc.		
21	Testing Laboratory		

22	Rainfall, discharge and tidal observations		
22	Grade crossings		
24	Miscellaneous		
24	District Surveyors		
26		Summary of receipts and expenses of district Surveyors	Table
27	Registry Division		
27		[Comparative summary of operations of the Registry Division of the Bureau of Surveys 1899-1902]	Table
29		Summary of main, branch and private sewers and bridges built during the years 1899, 1900, 1901 and 1902	Table
30		Statement of work upon bridges during the years 1899, 1900, 1901 and 1902	Table
30		Statement of receipts	Table
30		Statement of expenditures	Table
30	Bureau of Water [Summary report of Director of Department of Public Works]		
33	Distribution		
33		[Number of permits, Number of premises supplied with water, Number of premises without water, Total length of pipe laid, Length of pipe laid in 1902]	Table
34	High pressure fire service		
36	Pumping stations		
38	Fairmount Dam		
39	Waste [of water]		
40		Statement of the number and type of engines and their several aggregate capacities, at the various stations	Table
41		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table
42		Statement of pumpage for the years 1899, 1900, 1901 and 1902 [Pumped to reservoirs, Equal to gallons 100 ft. high]	Table
42		[Statement of pumpage for the years 1899, 1900, 1901, 1902 -Pumped by water power; pumped by steam power; largest quantity pumped in 24 hrs.; smallest quantity pumped in 24 hrs.]	Table
43		[Consumption 1899, 1900, 1901 and 1902; Cost of 1,000,000 gallons pumped 100 feet high]	Table
44		Statement of the total pipe laid and of the other work done during the years 1899, 1900, 1901, and 1902 [pipe laid, pipe relaid, fire hydrants placed in position, substituted for defective hydrants, fire hydrants in use, new water attachments	Table
45		Statement of receipts and expenditures for the years 1899, 1900, 1901 and 1902	Table
45	Bureau of Filtration [Creation of the Bureau of Filtration; its mission; its budget]		
46		[Capital budget of the Bureau of Filtration]	Table
47		[Contract 10, 13, 17, 21, 22, 26: work has been completed and final payment has been made]	Table
48		[Capacity of filters running at the rate of 6,000,000 gallon]	Table

48		[Contracts awarded for contract 20, 23-A, 37]	Table
48		[Plans and specifications have been prepared for contract 28, 37-A, 49]	Table
48		[Amount of office work, which has been accomplished making a total since the inception of the work]	Table
52		[General quantities of the most important items under construction during 1902 and the total of work accomplished to date - excavation, embankment, clay puddle, concrete masonry, water pipe laid, granolithic pavement, granite curbing]	Table
53	Filters [Description of filters as designed; Commission of Experts report Sept. 15, 1898]		
54	Testing stations		
55-59		List of contracts for the improvement, extension and filtration of the water supply	Table
60	Bureau of Highways		
67	Board of highway supervisors		
70	Bureau of street cleaning		
73	Bureau of gas		
75	Bureau of lighting		
79	City ice boats		
80	Director's office		
82		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1902 and totals for the years 1899, 1900 and 1901	Table
83	Statement of the appropriations, expenditures etc, of the Department of Public Works for the years 1899, 1900, 1901 and 1902		
84		[Appropriation for 1903 with a statement of balances available from previous years for work ordered and for which contracts have been executed]	
87	Annual report of the Bureau of Water for the year 1902 [of F. L. Hand]		
89	Officers of the Bureau of Water	[Partial list] Chief: Frank L. Hand, General Superintendent: Allen J. Fuller, Chief Clerk: J. T. Hickman, Assistants to Chief: William Whitby, H. J. Johnson, Correspondence Clerk: P. de Haven, Chief Draughtsmen: John E. Codman, Draughtsmen: Martin Murphy, James H. Hand, Jr., John R. Gorman, Charles B. F. Waller, Henry L. Lentz, Joseph D. Austin, Assistants to Chief Clerk: Thomas Spence, A. H. Raven, Assistant to General Superintendent: Wm. Laumaster	
93	Annual Report of the Bureau of Water for the year 1902, Sixteenth annual report of the Bureau of Water, one hundred and first annual report of operations connected with the city water supply [of F. L. Hand], January 19, 1903		

95		[Recommendations that immediate provision will be made for urgent requirements at Shawmont Station and Belmont High Service Station]	Table
98	Revenue collected		
98		[Total collections for 1902 compared with 1901]	Table
99		[Total collections for 1895-1898 compared with 1899-1902]	Table
99		Expenditures [Total expenditures 1902, total expenditures 1899-1902 compared with 1895-1898]	Table
100		Net earnings of the Water Bureau	Table
100	Increased consumption		
101		[Distribution Systems: Average daily consumption, average increase, percentage of increase]	Table
103	Coal		
103		Quantities of coal stored at several stations (Tons, No. of days' supply)	Table
106	Independent fire mains		
106		[Names and length of the fire mains]	Table
106		Temperature	Diagram
106		Consumption	Diagram
106		Coal consumed	Diagram
106		Steam pumpage	Diagram
106		Plan showing locations of stops sleeves, Hydrants crosses and tees, on new fire line. 45B1329. [No date]	Map
106		High pressure fire main expansion sleeves	2 Engineering drawings
106		Total materials, labor and excavation for laying fire pipe line [Streets, Straight C. I. Pipe, Curved C. I. Pipe, Semi-steel crosses, Semi-steel tees, Stops, Number of bolts, Number of fire hydrants, Number of expansion joints, Number of fire boat connections, Number of air cocks, Masonry, Earth excavation, "I" Beams, Terra cotta, Manhole covers and S op boxes, Stock on hand (7th district yard), Costs of materials, Costs of excavating and of laying pipe, Miles of pipe laid, Area covered, Efficient area, Extra bolts used]	Table
107		[Dimensions of pipes (of cast iron), bolts and flanges]	Table
107		[Interior diameter and thickness of flange of crosses and tees for connecting laterals or intersecting pipes (made of cast steel)]	Table
110		Fire main hydrant, with Siamese hose attachments	Photograph
110		Fire boat "Edwin S. Stuart, with eight 4-inch lines of hose attached to fire main system	Photograph
110		Twelve 2-inch fire streams, during test made by the Board of Fire Underwriters	Photograph
112		Some results shown in exhibition of high pressure pipe line, Philadelphia, under gravity and fire boat pressures, September 15, 1902 [Pressure tests at hydrants at several locations; High pressure fire system+C145]	Table
113		High pressure fire service pumping station, City of Philadelphia	Photograph
113	Fairmount and Flat Rock Dams		

115		Break in Flat Rock Dam, February 23, 1902	Photograph
115		Flat Rock Dam, Showing partly finished temporary cribbing to shut off the water while repairing the break in the dam	Photograph
115		Roxborough works. Temporary centrifugal pumping station, erected to supply nos. 2 and 3 pump wells during period of low water in the river	Photograph
115		Roxborough works. Discharge from three centrifugal pumps supplying nos. 2 and 3 pump wells	Photograph
116	Fairmount Station		
116		Flood. Schuylkill river, February 25-27, 1902	Photograph
117	Spring Garden Pumping Station		
117	Belmont Pumping Station		
118	Queen Lane Station		
120	Roxborough Station		
121	Frankford Station		
122	High Service Stations		
123	Distribution		
124	Meters		
125		Comparison of pumpage from the Delaware and Schuylkill Rivers for 1901 and 1902	Table
126		Volume and cost of pumpage for the years 1892 to 1902 inclusive [also: estimated population, gallons pumped per capita per day]	Table
127		Cost of raising 1000000 gallons 100 feet during 1901 and 1902	Table
128-129		Comparison of the nominal, maximum, minimum and average daily pumpage for 1901 and 1902	Table
130	[Overview of appendices]		
131	Appendix A, Report of Chief Clerk, January 17, 1903 [of J. T. Hickman]		
132-147		Detailed expenditures of the Bureau for 1902	Table
147		Recapitulation [Summary of the expenditures of the Bureau for 1902]+C226	Table
148-150		List of miscellaneous receipts for the year 1902	Table
150		Receipts from operations of the Bureau of Water, as reported by the receiver of taxes [Water rents, Penalties, Frontage charges, Fees for searches, Charges for Ferrules on new connections, Miscellaneous, Total]	Table
151-157	Appendix B, Report of the General Superintendent submitting tables of expenses, pumpage and consumption of water during 1902, January 19, 1903 [of Allen J. Fuller]		

152		Classification and prices of coal consumed during 1902 [Pumping station, High Service Stations, Classification, Tons, Price per ton, Cost, Total cost]	Table
152		Total pumpage [1901, 1902, Billion gals. per month]	Diagram
153		Current expenses and work of the pumping stations for the year 1902 [Pumping stations and High service stations: pay of employees at the station, coal consumed, lubricants, lighting, repairs to boilers and machinery, miscellaneous supplies and small stores, total expenses, total gallons pumped, lift in feet including suction and friction, gallons pumped 100 feet high including suction and friction, cost of raising one million gallons 100 feet, percentage of work done at each station]	Table
153		Fairmount pumping station, 1902 [numbers concerning the turbines - capacity, running time, gallons pumped, total pumpage of each month, average pumpage per day, oils (cylinder and engine)]	Table
153		Spring Garden pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet per pound of coal]	Table
153		Belmont pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds, gallons raised 100 feet per pound of coal]	Table
153		Queen Lane pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch., gallons raised 100 feet per pound of coal]	Table
153		Roxborough pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch., gallons raised 100 feet per pound of coal]	Table
153		Frankford pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure and mean suction lift in pounds per square inch., gallons raised 100 feet per pound of coal]	
153		Belmont high service station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure per square inch, less mean pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table
154		Roxborough high service station, 1902 [data concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table
155		Mount Airy pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table
156		Chestnut Hill, pumping station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table

157		Pumpage diagram for the year 1902 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
157		Description of pumping machinery of the Bureau of Water, Philadelphia, 1902 [Pumping station, Designated number of engine or turbine, Types of engines, Designated capacity, Steam engines and pumps (High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps), Pumping station, Type of boilers, Steam boilers]	
157		Total gallons pumped and consumed during 1902 [Months, Pumpage (Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Frankford, Total, Average per day), Consumption (Stored in reservoirs at end of each month, Totals, Average per day), Supplementary pumpage (Belmont, Roxborough, Mt. Airy, Chestnut Hill, Frankford, Total, Average Daily), Total pumpage and supplementary pumpage, Average total pumpage per day, Percentage of pumpage, Total steam pumpage, Total water pumpage]	
157		Frankford high service station, 1902 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table
158-161	Appendix C, Report of the Assistant in Charge of Distribution, January 19, 1903 [of W. Whitby]		
158	Mains		
158		New work [by Bureau of Water, By Bureau of Filtration, High Pressure Fire Service]	Table
159		Comparison of conditions relative to the distribution 1901-1902	Table
159		Meters	Table
159		Number of dwellings and of principal appliances for the use of City water [1901, 1902]	Table
160		Repairs	Table
160		Abandoned	Table
160		Fire hydrants	Table
161		Drills for attachments	Table
162		Service and supply mains laid during 1902, First district	Table
163		[Service and supply mains laid during 1902], Second district	Table
164		[Service and supply mains laid during 1902], Third district	Table
165		[Service and supply mains laid during 1902], Fourth district	Table
166		[Service and supply mains laid during 1902], Fifth district	Table
167		[Service and supply mains laid during 1902], Sixth district	Table
168		[Service and supply mains laid during 1902], Seventh district	Table
169-170		Pipe laid by contract by the Bureau of Filtration during 1902 [Purposes for which used, Size in inches, Total]	Table
170		High pressure fire service laid with flange pipe and special castings [Purposes for which used, Size in inches, Total]	Table
171		Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: size in inches, feet, pounds]	Table

171		Recapitulation of work on water pipes [New pipe or feet added, pipe used but adding nothing to feet in ground, total handled, pipe cut off and abandoned: purposes for which used, size in inches, total in feet and pounds]	Table
171		Total feet of pipe in use December 31, 1902 [Size in inches, total in use Dec. 31, 1901, extension and relays during 1902, deductions during 1902, total in use Dec. 31, 1902]	Table
172	Broken mains		
172		Breaks for which no special reason could be assigned occurred in the following named mains	Table
172		[Breaks caused by various causes]	Table
173		Recapitulation of fire hydrants, set, renewed and removed	Table
174-175		Fire hydrants by ward	Table
176		Fire hydrants by purveyors' districts	Table
176		Statement of the number of fire hydrants by districts and wards during 1902 and total previous thereto	Table
176		[Number of attachments for fire purposes previously reported, Made during 1902, Total]	Table
177		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, arranged by districts [New attachments, Shut off by permit, Work done without permit]	Table
178		Permits issued during the year 1902	Table
179-180		Premises supplied and appliances [fixtures] in use January 1, 1903	Table
181		Table "A." Service attachments laid to the curb (on streets to be paved or repaved) by the Bureau of Water	Table
181		Account of iron stop boxes, new stops and check valves for 1902	Table
182		Repairs to mains, stops, and fire hydrants, also stops and fire hydrants removed during 1902	Table
182		Check valves put in	Table
183-185		Total number of stops and valves in the City arranged by districts	Table
186		Number of valves raised in the several districts during the year 1902	Table
187		Number of complaints and examinations during 1901 and 1902 [Hydrants, service pipes, wash paves, spigots, water closets, horse troughs, no leaks, totals]	Table
188-194		New meters set [Occupant, location, business, date when set, name of meter, size, total, cubic feet consumed, remarks]	Table
194		General summary of meter operations for the year 1902	Table
194		Miscellaneous work [Meters repaired; meters used in service; meters tested, examinations, miscellaneous]	Table
195-196		Distribution expenses during the year 1902, including expenses of Main office, Purveyors' districts and meter shop	Table
197-198		Schedule of pipe and special castings accepted and rejected during the year 1902	Table
199		New attachments made and delivered to districts during the year 1902 [Districts, Attachments made and delivered, Feet of lead pipe, Total]	Table
200-206	Appendix D, Report, Operations at the construction and repair shop, Bureau of Water, during the year 1902, January 8, 1903 [of Jas. H. Dean, Superintendent of Shop]		

201		Merchandise [Drafts] [by types of materials and supplies]	Table
201		Merchandise [Credits] [by districts, locations, project types]	Table
202		Inventory, January 1, 1903	Table
205		Principal articles delivered to Purveyors' districts and works [Districts, No.1 fire hydrants, No. 2 fire hydrants, Wedge stop valves, Check valves, Rotary valves, Plugs, Fish traps, Globe valves]	Table
206		Principal articles manufactured during 1902	Table
207-222	Appendix E, Report of the Chief Draughtsman for the year 1902, January 10, 1903 [of John E. Codman]		
207		[131 drawings made]	Table
209	Frankford pumping station, Lardner's Point [Lardners Point], Philadelphia. List of plates for 12 9' 0" dia. x 20' 0" long furnace flue and tubular boilers		
210		[Steel plates for boilers at Lardners Point pumping station: No. of plates, Width in inches, Length in inches, Thickness in inches]	
211		[Steel plates for the fire boxes for boilers at Lardners Point pumping station]	
212	Report on the hydrographic work for the years 1902 [of John E. Codman]		
213		[Comparison of the rainfall flowing off in the Perkiomen and Neshaminy creeks and Schuylkill river 1898-1902]	
216		[Overview of the tables, which accompany the report]	Table
216		Table I. Monthly precipitation on sundry watersheds, compared with U. S. Weather Bureau observations at Philadelphia. U.S. Weather Bureau, Water Bureau Auto, Water Bureau Ground Gauge, Pennsylvania Hospital, Shawmont, Lebanon, Reading, Pottstown, Browsers, Hamburg, Seisholtzville, Spring Mount, Easton, Moorestown, West Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown	Table
217		Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia, for the year 1902	Table
218		Table III. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at forks of Neshaminy for the year 1902	Table
219		Table IV. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Spring Mount, for the year 1902	Table
220		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy and Tohickon Creeks. Watersheds, Area in miles, Percentage of total area (Woodland, Cultivated, Flats, Roads), Average for 19 years, 1883-1902	Table
221		Table VI. Average annual yield of sundry watersheds to October 1, 1902. Watersheds, period covered years, area in miles, average rainfall in inches, average rainfall flowing off in inches, per cent flowing off, average annual yield in gallons, average daily yield in gallons, average yield in cubic feet per second per sq. mile of drainage area, average yield in cubic feet per second per square mile of drainage area for each inch of rainfall	Table

221		Table VII. Comparative daily stream flow, 1901 and 1902. Watersheds, Area of watershed, Maximum gallons (per day, per sq. mile), date, Minimum gallons (per day, per sq. mile), Date	Table
222		Table VIII. Precipitation and stream flow on Schuylkill and Wissahickon [Oct. 1901 - Dec. 1902]	Table
222		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds [Oct. 1901 - Dec. 1902]	Table
222		Table of computed daily flow of the Schuylkill River at Fairmount dam. Showing flow over flashboards in gallons per day, height of water above or below top of flashboards in inches, and computed pumpage, leakage and lockage from the pool [by month][note * means below top of flashboards]	Table
222		Stream flow 1902 - Perkiomen Creek at Frederick	Graph
222		Stream flow 1902 - Neshaminy Creek below Forks	Graph
222		Stream flow, 1902 - Tohickon Creek	Graph
223-253	Appendix F, Annual report of the Chief engineer of the Bureau of Filtration for the year 1902 (of John W. Hill, Chief Engineer)		
225	Department of Public Works. Bureau of Filtration (Improvement, extension and filtration of the water supply). Officers 1902.	Chief Engineer: John W. Hill; First Assistant Engineers: Richard I. D. Ashbridge, Henry C. Hill, George T. Prince; Assistant Engineers in charge of construction: Frank R. Fisher, La Monte Lloyd, T. Nelson Spencer, Fred. C. Dunlap, Fred. Schaffhauser, D. Jones Lucas, W. W. De Berard; Clerical: J. William Lee, Howard L. Klotz, John J. Klang	
227	Annual report of the Chief engineer of the Bureau of Filtration for the year 1902		
229		[Capacity of Lower Roxborough, Upper Roxborough and Belmont]	Table
230	Financial		
230		Total fund provided by law for the improvement of the water supply [Capital f+C257unds for filtration]	Table
230		[Capital expenditures for filtration]	Table
231	Contract no. 10. Lower Roxborough filters		
231	Contract no.11. High Service Pumping Machinery for Lardners Point Station		
232	Contract no. 12. Upper Roxborough Filters		
233	Contract no. 13. Patterns, core boxes and manufacture of bell end gate and rotary stop valves		
233	Contract no. 14. Torresdale conduit		
233	Contract no. 16. Belmont filters and reservoir		
234		[Quantities of some items of the contract and percentage completed for the construction of Belmont filters and reservoir]	
234	Contract no. 17. Extension of pipe distribution system		

234	Contract no. 18. Low service pumping machinery for the Upper Roxborough filters		
235	Contract no. 19. Belmont rising mains, Upper Roxborough connection pipe and extension of distribution pipe system		
235	Contract no. 20. Triplex pumps and gasoline driving engines for Upper Roxborough filters		
236	Contract no. 21. Low service pumping station for Upper Roxborough filters		
236	Contract no. 22. Hand traveling crane for Roxborough auxiliary pumping station		
237	Contract no. 23-A. Administration building and pumping station at Upper Roxborough filters		
237	Contract no. 24. Collector pipes and filtering materials for the Upper and Lower Roxborough filters, and sand washers for th Lower Roxborough filters		
238	Contracts no. 25. Torresdale filters		
238		[Total quantities of work for the construction of the filters and clear water basin at Torresdale filters and percentage done]	Table
238	Contract no. 27. Oak Lane Reservoir		
239	Contract no. 28. Lardners point pipe distribution system		
240	Contract no. 29. Lardners point pumping station, No. 2		
242	Contract no. 37. Lower Roxborough preliminary filters		
242	Preliminary filters		
243	Contract no. 49. Filtering materials and underdrains for Belmont filters		
243	Scope of office work		
243		[Drawings, studies, photographs and other details, which have been prepared]	Table
244	Operation of Lower Roxborough filters		
246	Testing stations		
248-253		List of contracts, improvement, extension and filtration of water supply, according to ordinance of January 12, 1900. [Contract no., Description of contract, Contractor, Date of letting, Date of contract, Limit of contract, Payment, Date of final payment]	Table