

This material is part of the collection of the Philadelphia Water Department and was downloaded from the website <u>www.phillyh2o.org</u> Please contact the PhillyH2O webmaster for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
	One hundred and accord annual report of the Bureau		
	One hundred and second annual report of the Bureau		
	of Water for the year ending December 31, 1903 and first annual message of John Weaver, Mayor of the		
	City of Philadelphia with annual report of Peter E.		
	Costello, Director of the Department of Public Works,		
	issued by the city of Philadelphia 1904	Volume held in Bhiladalphia Water Department Archives Catalogue No. 2004 057 0157	
	Office of the mayor [List of staff]	Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0157	
	First annual message [of John Weaver], Office of the		
V	Mayor, City Hall, April 4, 1904		
V	Finances		
XV	Department of Supllies		
XVI	Department of Supilies		
	Department of Public Works		
XX	Bureau of Highways		
	Bureau of Street Cleaning		+
XXIV	Bureau of Surveys		+
XXVI	Grade Crossings		+
XXXI	Bureau of Water and Bureau of Filtration		
XXXIV-	Department of Public Safety		
	Bureau of Fire		-
	Electrical Bureau		-
XXXVI	Bureau of Building Inspection		-
XXXVIII	The citizens' permanent relief committee		-
XL	Law Department		
XLII	Liberty Bell		
	Annual Report of the Department of Public Works for		1 1
1	the year ending December 31, 1903		
	Officers of the Department of Public Works [List of		1
3	staff]		
	Seventeenth annual report of the Department of		1 1
	Public Works. Peter E. Costello, Director. January 2,		
5-72	1904.		
6	City Ice Boats		1
8	Bureau of Gas		1 1

9	Bureau of Highways		
14	Board of Highway Supervisors		
15	Bureau of Lighting		
18	Bureau of Street Cleaning		
22	Bureau of Surveys		
22		Amounts, which were appropriated for the construction of main sewers during 1903	Table
25		Main sewers urgently needed	Table
26		Total length of sewers built and inspected during 1903	Table
26		Total length of sewers constructed to Jan. 1, 1904	Table
31		List of Bridges commenced in 1902 and completed during 1903	
31		Contracts entered into during the past year for bridges	
34		Summary of receipts and expenses of District Surveyors	Table
35		Summary of main, branch and private sewers built during the year 1903	Table
35		Statement of work upon bridges during the year 1903	Table
35		Statement of receipts	Table
36		Statement of expenditures	Table
36	Registry Division		
36		Summary of the operations of the Registry Division of the Bureau of Surveys during 1903	Table
36	Bureau of Water [Summary report of Director of Department of Public Works]		
38		Work, which should be provided for at once (at Shawmont Pumping Station, Belmont High Service Station, Frankford Pumping Station)	Table
42	Pumping Stations		1 4010
43	High Service Stations		
46-48		Statement of the number and type of engines and their several aggregate capacities, at the various stations	Table
49		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table
50		Statement of pumpage for the year 1903 (Pumped to reservoirs, Equal to gallons pumped 100 feet high)	Table
50		[Statement of pumpage for 1903 -Pumped by water power; pumped by steam power; largest quantity pumped in 24 hrs.; smallest quantity pumped in 24 hrs.]	Table
50		Consumption 1903; Cost of 1,000,000 gallons pumped 100 feet high	Table
52		[Statement of pipe laid, pipe relaid, fire hydrants placed in position, substituted for defective hydrants, fire hydrants in use, new water attachments	Table
53		Statement of receipts and expenditures for the year 1903	Table
53	Bureau of Filtration		
54		Division of the land appropriated for filters and other works	

		Quantities under construction of: excavation, embankment, puddle, concrete, brick masonry, cast iron pipe, special	
		castings, stop valves 4 inch to 72 inch, cast iron fixtures, structural steel, filter drains, filter gravel, filter sand (Lower	
		Roxborough, Upper Roxborough, Torresdale Conduit, Belmont Filters, Torresdale Filters, Oak Lane Reservoir,	
		Lardner's Point [Lardners Point] contract no. 29, Contract no. 17, Contract no. 19, Contracts nos. 28 and 72, Contract	
63		no. 66, Contract no. 70, Total when work is completed, Work during 1903)	
64-70		List of contracts for the improvement, extension and filtration of the water supply	Table
71	Director's Office		Tuble
71		Summary of expenditures of the Director's Office for the year 1903	
1			
72		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1903	Table
	Annual report of the Bureau of Water for the year		
73	1903 [of F. L. Hand]		
		[Partial list] Chief: Frank L. Hand, General Superintendend: Allen J. Fuller, Chief Clerk: J. T. Hickman, Assistants to	
		Chief: William Whitby, H. J. Johnson, Correspondence Clerk: P. DeHaven, Chief Draughtsmen: John E. Codman,	
		Draughtsmen: Martin Murphy, James H. Hand, Jr., John R. Gorman, Charles B. F. Waller, Andrew P. Peterson,	
75	Officers of the Bureau of Water	Joseph D. Austin, Assistants to Chief Clerk: Thomas Spence, A. H. Raven	
	Annual Report of the Bureau of Water for the year		
	1903, Seventeenth annual report of the Bureau of		
	Water, one hundred and second annual report of		
	operations connected with the city water supply [of F.		
79	L. Hand], December 31, 1903		
19		Recommendations that immediate provision will be made for urgent requirements at Roxborough Station, Belmont	
81		High Service, Frankford Station	Table
82		Requirements needed for the improvement and benefit of the service	Table
82	Deversus collected		
	Revenue collected	(Tatal as line time for 4000 some and with 4000)	Table
82		[Total collections for 1903 compared with 1902]	Table
83		Expenditures [Total expenditures 1903 compared with 1902]	Table
83		Net earnings of the Water Bureau [total revenue, Total expenditures]	Table
84	Increased consumption		
84		[Distribution Systems: Average daily consumption, average increase or decrease, percentage of increase or decrease]	Table
87		Per capita consumption (Distribution systems 1902-1903)	Table
87	Pumpage		
88		Temperature	Diagram
88		Consumption	Diagram
88		Coal consumed	Diagram
88		Steam pumpage	Diagram

3

89	Meters		
92	High pressure fire service		
96		View in engine room from gallery	Photograph
96		View in engine room from entrance, showing south line of engines	Photograph
96		View in engine room from entrance	Photograph
96		One of the small gas engines and pump, switchboard and gas meter	Photograph
96		Air compressor and storage tanks	Photograph
97	Machinery		
99	Ignition		
101	Capacity of the station		
102	Fairmount and flat rock dams		
102		Exhibition-4 2 1/2-inch and 6 1 1/2-inch streams, Delaware Avenue, April 6	Photograph
102		Exhibition-4 2-inch and 12 1 1/2-inch streams, Delaware Avenue, April 6	Photograph
102		Exhibition-4 2 1/2-inch and 4 1 1/2-inch streams, Delaware Avenue, April 6	Photograph
102		Exhibition-Broad and Samson Streets, April 20	Photograph
103	Fairmount Station		
103	Spring Garden Pumping Station		
104	Belmont Pumping Station		
105	Queen Lane Pumping Station		
105	Roxborough Pumping Station		
106	Frankford Station		
107	High Service Stations		
108	Distribution		
109		Comparison of pumpage for the Delaware and Schuylkill Rivers for 1902 and 1903	Table
110		Volume and cost of pumpage for the years 1893 and [to] 1903, inclusive [also: estimated population, gallons pumped per capita per day]	Table
111		Cost of raising 1,000,000 gallons 100 feet during 1902 and 1903	Table
112-113		Comparison of the nominal, maximum, minimum and average daily pumpage for 1902 and 1903	Table
114	[Overview of appendices]		
115-133	Appendix A, Report of Chief Clerk, January 25, 1904 [of J. T. Hickman]		
116-129		Detailed expenditures of the Bureau for 1903	Table
129		Recapitulation [Summary of the expenditures of the Bureau for 1903]	Table
130-132		List of miscellaneous receipts for the year 1903	Table

		Receipts from operations of the Bureau of Water as reported by the receiver of taxes [Schedule rates, Penalties, Delinguent, Penalties, New Connections, Meters current and delinguent, Ferrules on New Connections, Searches,	
133		Pipe frontage, Specials, Collected by City Solicitor, Totals]	Table
155	Appendix B, Report of the General Superintendent		TADIE
	submitting tables of expenses, pumpage and		
	consumption of water during 1903, January, 1904 [of		
134-142	Allen J. Fuller]		
104 142		Classification and prices of coal consumed during 1903 [Pumping stations, High Service Stations, Classifications,	
136		Tons, Price per ton, Cost, Total cost]	Table
		Current expenses and work of the pumping stations for the year 1903 [Pumping stations and High service stations:	
		Pay of employees at the station, Coal consumed, Lubricants, Lighting, Repairs to boilers and machinery,	
		Miscellaneous Supplies and small stores, Total expenses, Total gallons pumped, Lift in feet including suction and	
		friction, Gallons pumped 100 feet high suction and friction included, Cost of raising one million gallons 100 feet,	
137		Percentage of work done at each station]	Table
		Fairmount pumping station, 1903 [numbers concerning the turbines - capacity, running time, gallons pumped by each	
137		turbine, total pumpage of each month, average pumpage per day, oils (cylinder and engine)]	Table
		Spring Garden pumping station, 1903 [numbers concerning the engines - capacity, running time, gallons pumped,	
		coal, percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per square	
137		inch, gallons raised 100 feet per pound of coal]	Table
		Belmont pumping station, 1903 [numbers concerning the engines - capacity, running time, gallons pumped, coal,	
		percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per square inch,	
137		gallons raised 100 feet per pound of coal]	Table
		Queen Lane pumping station, 1903 [numbers concerning the engines - capacity, running time, gallons pumped, coal,	
		percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per square	
137		inch., gallons raised 100 feet per pound of coal]	Table
		Roxborough pumping station, 1903 [numbers concerning the engines - capacity, running time, gallons pumped, coal,	
		percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per square	
137		inch., gallons raised 100 feet per pound of coal]	Table
		Frankford pumping station, 1903 [numbers concerning the engines - capacity, running time, gallons pumped, coal,	
		percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per square	
137		inch., gallons raised 100 feet per pound of coal]	Table
137		Total pumpage [1902, 1903, Billion gallons per month]	Diagram
137		Belmont high service station, 1903 [numbers concerning the engines - capacity, running time, gallons pumped, coal,	Diagraffi
		percentage of ashes, oils (cylinder and engine), mean water pressure per square inch, less mean pressure on suction	
138		pipe, gallons raised 100 feet per pound of coal]	Table
100			rable

		Roxborough high service station, 1903 [data concerning the engines - capacity, running time, gallons pumped, coal,	
		percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure on suction	
139		pipe, gallons raised 100 feet per pound of coal]	Table
		Mount Airy pumping station, 1903 [numbers concerning the enginges - capacity, running time, gallons pumped, coal,	
		percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure on suction	
140		pipe, gallons raised 100 feet per pound of coal]	Table
		Chestnut Hill, pumping station, 1903 [numbers concerning the enginges - capacity, running time, gallons pumped,	
		coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure on	
141		suction pipe, gallons raised 100 feet per pound of coal]	Table
		Frankford high service station, 1903 [numbers concerning the enginges - capacity, running time, gallons pumped,	
		coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure on	
142		suction pipe, gallons raised 100 feet per pound of coal]	Table
		Description of pumping machinery of the Bureau of Water, Philadelphia, 1903 [Pumping station, Designated number	
		of engine or turbine, Types of engines, Designated capacity, Steam engines and pumps (High pressure cylinder, Int.	
142		pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps), Pumping station, Type of boilers, Steam boilers]	Table
		Total gallons pumped and consumed during 1903 [Months, Pumpage (Fairmount, Spring Garden, Belmont, Queen	
		Lane, Roxborough, Frankford, Total, Average per day), Consumption (Stored in reservoirs at end of each month,	
		Totals, Average per day), Supplementary pumpage (Belmont, Roxborough, Roxborough Annex, Mt. Airy, Chestnut	
		Hill, Frankford, Total, Average Daily), Total pumpage and supplementary pumpage, Average total pumpage per day,	
142		Percentage of pumpage, Total steam pumpage, Total water pumpage]	Table
142		Pumpage diagram for the year 1903 [also: inches of rainfall, inches in dam, temperature degrees F.]	Diagram
	Appendix C, Report of the Assistant in Charge of		Ŭ
143-196	Distribution, January 25, 1904 [of W. Whitby]		
143	Mains		
143		New work [by Bureau of Water, High Pressure Fire Service]	Table
144		Comparison of conditions relative to the distribution 1902-1903	Table
144		Meters	Table
144		Number of dwellings and principal appliances for the use of City water [1902, 1903]	Table
145		Repairs	Table
145		Abandoned	Table
145		Fire hydrants	Table
146		Drills for attachments	Table
147		Service and supply mains laid during 1903, First district	Table
148		[Service and supply mains laid during 1903], Second district	Table
149		[Service and supply mains laid during 1903], Third district	Table

150	[Service and supply mains laid during 1903], Fourth district	Table
151	[Service and supply mains laid during 1903], Fifth district	Table
152	[Service and supply mains laid during 1903], Sixth district	Table
153	[Service and supply mains laid during 1903], Seventh district	Table
	Total feet of pipe in use December 31, 1903 [Size in inches, total in use Dec. 31, 1902, extensions and relays during	
154	1903, deductions during 1902, total in use Dec. 31, 1903]	Table
155	Recapitulation of fire hydrants set, renewed and removed	Table
156-157	Fire hydrants by wards	Table
158	Fire hydrants by purveyors' districts	Table
158	Statement of the number of fire hydrants by districts and wards during 1903 and total previous thereto	Table
158	[Number of attachments for fire purposes previously reported, Made during 1903]	Table
	Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, arranged by	
159	districts [New attachments, Shut off by permit, Work done without permit]	Table
160	Permits issued during the year 1903	Table
161-162	Premises supplied and appliances [fixtures] in use January 1, 1904	Table
163	Table "A." Service attachments laid to the curb (on streets to be paved or repaved) by the Bureau of Water	Table
163	Account of iron stop boxes, new stops and check valves for 1903	Table
164	Repairs to mains, stops, and fire hydrants, also stops and fire hydrants removed during 1903	Table
164	Check valves put in	Table
165-167	Total number of stops and valves in the City arranged by districts	Table
168	Number of valves raised in the several districts during the year 1903	Table
	Number of complaints and examinations during 1902 and 1903 [Hydrants, service pipes, wash paves, spigots, water	
169	closets, horse troughs, no leaks, totals]	Table
	New meters set [Occupant, location, business, date when set, name of meter, size, total, cubic feet consumed,	
170-191	remarks]	Table
190	General summary of meter operations for the year 1903	Table
	Miscellaneous work [Meters repaired; meters used in service; meters purchased; meters packed; meters tested,	
190	examinations; miscellaneous]	Table
192-193	Distribution expenses during the year 1903, including expenses of Main office, Purveyors' districts and meter shops	Table
194-195	Schedule of pipe and special castings rejected and accepted during the year 1903	Table
	New attachments made and delivered to districts during the year 1903 [Districts, Number of attachments made and	
196	delivered, Feet of lead pipe, Total]	Table

	Appendix D, Report of the operations at the		
	construction and repair shop, Bureau of Water.		
	Twelfth and Reed Streets, January 1, 1904 [of Jas. H.		
197-203	Dean, Superintendent of Shop]		
198		Merchandise [Drafts] [by types of materials and supplies]	Ta
199		Merchandise [Credits] [by districts, locations, project types]	Та
200		Inventory, January 1, 1904	Та
202		Principal articles manufactured during 1903	Та
		Principal articles delivered to Purveyors' districts and works [Districts, No.1 fire hydrants, Wedge stop valves, Plugs,	
203		Fish traps, Globe valves, Iron bands, Stop screws, Viney screws]	Та
	Appendix E, Report of the Chief Draughtsman for the		
204-214	year 1903, January 1904 [of John E. Codman]		
	Report on the hydrographic work for the years 1903		
207	[of John E. Codman]		
208		Comparison of the rainfall flowing off in the Schuylkill river, with the run off on the Perkiomen and Neshaminy creeks	Та
209		[Overview of the tables, which accompany the report]	Та
		Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia,	
210		for the year 1903	Та
		Table I. Monthly precipitation on sundry watersheds, compared with U.S. Weather Bureau observations at	
		Philadelphia. U.S. Weather Bureau, Water Bureau Auto, Water Bureau Ground Gauge, Pennsylvania Hospital,	
		Shawmont, Lebanon, Reading, Pottsville, Browers, Hamburg, Seisholtzville, Spring Mount, Easton, Moorestown, West	
210		Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown	Та
		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at forks of the	
211		Neshaminy, for the year 1903	Та
		Table IV. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Spring	
212		Mount, for the year 1903	Та
		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy and Tohickon Creeks. Watersheds, Area in miles,	
213		Percentage of total area (Woodland, Cultivated, Flats, Roads), Average for 20 years, 1883-1903	Та
		Table VI. Average annual yield of sundry watersheds to October 1, 1903. Watersheds, period covered years, area in	
		miles, average rainfall in inches, average rainfall flowing off in inches, per cent flowing off, average annual yield in	
		gallons, average daily yield in gallons, average yield in cubic feet per second per sq. mile of drainage area, average	
214		yield in cubic feet per second per sq. mile of drainage area for each inch of rainfall	Та
		Table VII. Comparative daily stream flow, 1902 and 1903. Watersheds, Area of watershed, Maximum gallons (per day,	10
		per sq. mile), Date, Minimum gallons (per day, per sq. mile), Date	Ta

214	Table VIII. Precipitation and stream flow on Schuylkill and Wissahickon watersheds [Oct. 1902 - Dec. 1903]	Table
214	Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds [Oct. 1902 - Dec. 1903]	Table
	Table of computed daily flow of the Schuylkill River at Fairmount dam. Showing flow over flashboards in gallons per	
	day, height of water above or below top of flashboards in inches, and computed pumpage, leakage and lockage from	
214	the pool [by month][note * means below top of flashboards]	Table
214	Stream flow 1903 - Perkiomen Creek at Frederick	Graph
214	Stream flow 1903 - Neshaminy Creek below Forks	Graph
214	Stream flow, 1903 - Tohickon Creek	Graph