

This material is part of the collection of the Philadelphia Water Department and was downloaded from the website <u>www.phillyh2o.org</u> Please contact the PhillyH2O webmaster for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
	One hundred and fifth annual report of the Bureau of Water		
	for the year ending December 31, 1906 and fourth annual		
	message of John Weaver, Mayor of the City of Philadelphia		
	with the annual report of John R. Hathaway, Director of the		
	Department of Public Works, issued by the City of		
I	Philadelphia, 1907	Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0173	
	Office of the mayor [List of staff]		
	Fourth annual message [of John Weaver], Office of the		
V	Mayor, City Hall, April 1, 1907		
VI	Finances		
IX	Loans		
Х	Fire insurance fund		
	Department of Public Safety		
XIII	Bureau of Fire		
XV	Electrical Bureau		
XVI	Bureau of City Property		
XVI	Bureau of Building Inspection		
XVII	Bureau of Boiler inspection		
XVIII	Bureau of Correction		
XVIII	Department of Supplies		
	Department of Public Health and Charities		
	Department of Public Works		
	Bureau of City Ice Boats		
	Bureau of Gas		
	Bureau of Lighting		
XL	Buerau of Highways		
XLI	Bridges		
XLV	Bureau of Street Cleaning		
XLVI	Bureau of Surveys		
	Grade Crossings		
LII	Rapid Transit		
LVIII	Dredging of the Channel		
LVIII	Bureau of Water		
LIX	Bureau of Filtration		
LXII	Civil Service Commission		

LXV	Thomas W. Evans Museum and Institute		
LXV	Citizens' Permanent Relief Committee		
LXVIII	Free Library		
LXXII	Commercial Museums		
LXXII	Law Department		
	Annual Report of the Department of Public Works for the		
1	year ending December 31, 1906		
3	Officers of the Department of Public Works [List of staff]		
	Twentieth annual report of the Department of Public Works.		
5-41	John R. Hathaway, Director. January 2, 1907.		
6	Bureau of City Ice Boats		
		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1906	
6		and totals for the years 1903, 1904 and 1905	
	Bureau of Gas		
	Bureau of Highways		
	Board of Highway Supervisors		
	Bureau of Lighting		
	Bureau of Street Cleaning		
	Bureau of Surveys		
24		Total length of sewers built during 1906	Table
24		Total length of sewers constructed to Jan. 1, 1907	Table
27		Comparative statement of receipts and expenses for the years 1903, 1904, 1905 and 1906	Table
28		Registry Division	Table
29		Comparative statement of main, branch and private sewers built during the years 1903, 1904, 1905 and 1906	Table
29		Comparative statement of work upon bridges during the years 1903, 1904, 1905 and 1906	Table
29		Comparative statement of receipts	Table
30		Comparative statement of expenditures	Table
	Bureau of Water [Summary report of Director of Department		
	of Public Works]		
30		Total receipts for 1903-1906, 1899-1902	Table
33		Comparative Statement of receipts and expenditures for the years 1903, 1904, 1905 and 1906	Table
		Statement relating to pipe laying and fire hydrants placed (year, pipe laid, pipe relaid, fire hydrants placed in	-
34		position, substituted for defective hydrants, fire hydrants in use, new water attachments)	Table
05			Table
35		Statement of the number and type of engines and their several aggregate capacities, at the various stations	Table

05		Statement of the location, date of completion, elevation and capacity of the City's reservoirs [also: Height above	T
35		city Datum]	Table
36		Statement of pumpage for the years 1903-1906 (Pumped to reservoirs, Equal to gallons pumped 100 feet high)	Table
		Statement of pumpage for 1903-1906 - Pumped by water power; pumped by steam power; largest quantity	
36		pumped in 24 hrs.; smallest quantity pumped in 24 hrs.	Table
36		Consumption 1903-1906; Cost of 1,000,000 gallons pumped 100 feet high	Table
37	Bureau of Filtration		
40	Director's Office		
41		Summary of expenditures of the Director's Office for the years 1903-1906	Table
43	Annual report of the Bureau of Water for the year ending December 31, 1906 [of F. L. Hand]		
		[Partial list] Chief: Frank L. Hand, Acting Chief, March 9th to May 31st and General Superintendent in charge of Bureau, from June 1st: Allen J. Fuller, Chief Clerk: J. T. Hickman, Assistants to Chief: William Whitby, H. J. Johnson, Correspondence Clerk: P. DeHaven, Chief Draughtsmen: John E. Codman, Draughtsmen: Martin Murphy, James H. Hand, Jr., John R. Gorman, Charles B. F. Waller, Andrew P. Peterson to Aug. 5th, Joseph D.	
45	Officers of the Bureau of Water	Austin, Assistants to Chief Clerk: Thomas Spence, A. H. Raven	
40	Annual Report of the Bureau of Water for the year 1906, Twentieth annual report of the Bureau of Water, one hundred and fifth annual report of operations connected		
49 53	with the city water supply [of F. L. Hand], January 26, 1907 Improvements required		
53		Palment Dumping Station	Table
53		Belmont Pumping Station Belmont High Service Station	Table
54 54		Roxborough Pumping Station	Table
54 54		Roxborough High Service Station	Table
<u> </u>		Supply mains required given in the order of their importance	Table
55	Revenue collected		
55		Total collections for 1906 compared with 1905	Table
55		Collections for the past four years and 1899-1902	Table
55		Expenditures	Table
55		Net earnings of the Water Bureau (Total revenue from water rents, etc. 1799-1906)	Table
00		Total expenditures for maintenance and construction 1799-1906 including amounts paid for improvement,	1 4010
56		extension and filtration of the water supply	Table
56		Net profit earned by the Bureau of Water 1799-1906	Table
50			

		Estimated average daily pumpage in gallons from the Delaware and Schuylkill rivers to several distribution	
56		systems [East Park, Belmont, Queen Lane, Roxborough, Frankford]	Table
57	Cost of pumpage		
57		Pumpage from Rivers: Cost of pumping 1,000,000 gallons of water 100 feet high 1903-1906	Table
57		Supplemental pumpage from reservoirs 1903-1906	Table
58		Coal	Table
60		Temperature [1905, 1906]	Graph
60		Consumption [1905, 1906]	Graph
60		Coal consumed [1905, 1906]	Graph
60		Steam pumpage [1905, 1906]	Graph
61	Fairmount Dam		
61	Pumping Stations		
62	Spring Garden Station		
63	Belmont Station		
65	Queen Lane Station		
66	Roxborough Station		
66	Frankford Station		
67	High Service Stations		
67		Increase and Decrease at the several High Service Stations	Table
67	Distribution		
69		Comparison of pumpage for the Delaware and Schuylkill Rivers for 1905 and 1906	Table
		Volume and cost of pumpage for the years 1896 to 1906, inclusive [also: estimated population, gallons pumped	
70		per capita per day]	Table
71		Cost of raising 1,000,000 gallons 100 feet during 1905 and 1906	Table
72-73		Comparison of the nominal, maximum, minimum and average daily pumpage for 1905 and 1906	Table
74	[Overview of appendices]		
	Appendix A, Report of Chief Clerk, January 15, 1907 [of J.		
75-89	T. Hickman]		
76-83		Detailed expenditures of the Bureau for 1906	Table
		Statement of the amount expended by the Department of Supplies for this Bureau, during the year 1906. [Taken	
84		from the books of the city controller, amount appropriated, expended and merging]	Table
85		Recapitulation	Table
		Receipts from operations of the Bureau of Water as reported by the receiver of taxes [Water rents by schedule	
		on existing connections, On new connections, By meter current and delinquent, Penalties, Charges for Ferrules	
		on new connections, Fees for searches, Frontage paid to receiver of taxes, Miscellaneous, Liens, Interest,	
86		Collected by City Solicitor, Totals]	Table
87-89		List of miscellaneous receipts for the year 1906	Table

	Appendix B, Report of the General Superintendent submitting tables of expenses, pumpage and consumption		
90-96	of water during 1906, January, 1907 [of A. J. Fuller]		
90		Temperature [1905, 1906]	Graph
90			Graph
90		Coal consumed [1905, 1906]	Graph
90			Graph
91		Coal consumed during 1906 [Pumping Stations, High Service Stations: Classification, Tons, Price per ton, Cost, Total cost]	Table
01		Belmont High Service Station, 1906 [numbers concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure	10010
92		on suction pipe, gallons raised 100 feet per pound of coal]	Table
		Roxborough High Service Station, 1906 [data concerning the engines - capacity, running time, gallons pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure	
93			Table
94		Mt. Airy Pumping Station, 1906 [numbers concerning the enginges - capacity, running time, gallons pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure	Table
94			Table
		Chestnut Hill Pumping Station, 1906 [numbers concerning the enginges - capacity, running time, gallons pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean	
95		pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table
96		Frankford High Service Station, 1906 [numbers concerning the enginges - capacity, running time, gallons pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet per pound of coal]	Table
90		Current expenses and work of the pumping stations for the year 1906 [Pumping stations and High service stations: Pay of employees at the station, Coal consumed, Lubricants, Lighting, Repairs to boilers and machinery,	Table
00		Repairs to buildings and grounds, Miscellaneous supplies and small stores, Total expenses, Total gallons pumped, Lift in feet including suction and friction, Gallons pumped 100 feet high suction and friction included,	Tabla
96		Cost of raising one million gallons 100 feet, Percentage of work done at each station]	Table
		Total gallons pumped and consumed during 1906 [Months, Pumpage (Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Frankford, Total, Average per day), Consumption (Stored in reservoirs at end of each	
96		month, Total, Average per day), Supplementary pumpage (Belmont, Roxborough, Roxborough Annex, Mt. Airy, Chestnut Hill, Frankford, Total, Average Daily), Total pumpage and supplementary pumpage, Average total pumpage per day, Percentage of pumpage, Total steam pumpage, Total water pumpage]	Table

		Fairmount Pumping Station, 1906 [numbers concerning the turbines - capacity, running time, gallons pumped by	
96		each turbine, total pumpage of each month, average pumpage per day, oils (cylinder and engine)]	Table
		Spring Garden Pumping Station, 1906 [numbers concerning the engines - capacity, running time, gallons	
		pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in	
96		pounds per square inch, gallons raised per pound of coal]	Table
		Belmont Pumping Station, 1906 [numbers concerning the engines - capacity, running time, gallons pumped,	
		coal, percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per	
96		square inch, gallons raised 100 feet per pound of coal]	Table
		Queen Lane Pumping Station, 1906 [numbers concerning the engines - capacity, running time, gallons pumped,	
		coal, percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in pounds per	
96		square inch., gallons raised 100 feet per pound of coal]	Table
		Roxborough Pumping Station, [1906] [numbers concerning the engines - capacity, running time, gallons	
		pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in	
96		pounds per square inch., gallons raised 100 feet per pound of coal]	Table
		Frankford Pumping Station No. 1, 1906 [numbers concerning the engines - capacity, running time, gallons	
		pumped, coal, percentage of ashes, oils (cylinder and engine), mean water pressure and mean suction lift in	
96		pounds per square inch., gallons raised 100 feet per pound of coal]	Table
		Frankford Pumping Station, No.2, 1906 [numbers concerning the engines - capacity, running time, gallons	
		pumped, coal, percentage of ashes, oil (cylinder, engine) mean water pressure and mean suction lift in pounds	
96		per square inch, gallons raised 100 feet per pound of coal]	
		Description of pumping machinery of the Bureau of Water, Philadelphia, 1906 [Pumping station, Designated	
		number of engine or turbine, Types of engines, Designated capacity, Steam engines and pumps (High pressure	
		cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps), Pumping station, Type of	
96		boilers, Steam boilers]	Table
96		Pumpage diagram for the year 1906 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
	Appendix C, Report of the Assistant in Charge of		
97-133	Distribution, January 26, 1907 [of W. Whitby]		
97	Mains		
97		New work	Table
97		Comparison of conditions relative to the distribution, 1905-1906	Table
98		Meters	Table
98		Number of dwellings and principal appliances [fixtures] for the use of City water [1905, 1906]	Table
98		Repairs	Table
99		Abandoned	Table
99		Fire hydrants	Table

100	Drills for attachments	Table
101	Service, supply and pumping mains laid during 1906, First district	Table
102	Service, supply and pumping mains laid during 1906, Second district	Table
103	Service, supply and pumping mains laid during 1906, Third district	Table
104	Service, supply and pumping mains laid during 1906, Fourth district	Table
105	Service, supply and pumping mains laid during 1906, Fifth district	Table
106	Service, supply and pumping mains laid during 1906, Sixth district	Table
107	Service, supply and pumping mains laid during 1906, Seventh district	Table
108	Alterations of water pipes on the line of the Market Street Subway [Pipe relaid]	Table
	Recapitulation of work on water pipes [New pipe or feet added, Pipe used but adding nothing to feet in ground,	
108	Total handled, Pipe cut off and abandoned: Purposes for which used, Size in inches, Total in feet and pounds]	Table
	Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in ground, Total	Table
108	handled, Pipe cut off and abandoned: size in inches, feet, pounds]	Table
	Total feet of pipe in use December 31, 1906 [Size in inches, Total in use Dec. 31, 1905, Extensions and relays	
109	during 1906, Deductions during 1906, Total in use Dec. 31, 1906]	Table
110	Recapitulation of fire hydrants, set, renewed, and removed	Table
110	Statement of the number of fire hydrants by districts and wards during 1906 and total previous thereto [Number	Table
110	of attachments for fire purposes previously reported and made during 1906]	Table
111-112	Fire hydrants by wards	Table
113	Fire hydrants by walds	Table
115	Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water [Districts:	Table
114	New attachments, Shut off by permit, Work done without permit]	Table
115	Permits issued during the year 1906	Table
116-117	Premises supplied and appliances [fixtures] in use January 1, 1907	Table
118	Repairs to mains, stops and fire hydrants, also stops and fire hydrants removed during 1906	Table
119	Table "A." Service attachments laid to the curb by the Bureau of Water on streets to be paved or repaved	Table
119	Account of iron stop boxes and new stops and check valves	Table
119		Table
100 100	Total number of stops and valves arranged by districts, High pressure stops [Patterns, Size, Outlets, Districts,	Table
120-123	Total]	Table
123	Number of valves raised in the several districts during the year 1906 [Districts, Barton, Viney, Single Gate]	Table
	Number of complaints and examinations during 1905 and 1906 [Months, Hydrants, Service pipes, Wash paves,	
124	Spigots, Water closets, Horse troughs, No leaks, Total]	Table
	New meters set [Occupant, location, business, date when set, name of meter, size, total, cubic feet consumed,	
125-127	meter rents, remarks]	Table
126	General summary of meter operations for the year 1906	Table

		Miscellaneous work on meters during the year 1906 [Size: Meters repaired; meters used in service; meters	
126		packed; meters tested; examinations; miscellaneous]	Table
		Schedule of pipe and special-ordered castings rejected and accepted during the year 1906 [Manufacturer, Size,	
128-130		Ordered, Inspected, Rejected, Accepted]	Table
		New attachments made and delivered to the Districts during 1906 [Districts: Number of attachments made and	
131		delivered, Feet of lead pipe, Total]	Table
		Distribution expenses during the year 1906, including expenses of Main office, Purveyors' districts, and meter	
132-133		shops [Material and Labor, Districts, Distibution, Meter Shops, Main Office, Totals]	Table
	Appendix D, Report of the operations at the construction		
	and repair shop, Bureau of Water, during the year 1906,		
	January 18, 1907 [of James H. Dean, Superintendent of		
134-139	Shop]		
135		Merchandise [Drafts] [by types of materials and supplies]	Table
135-136		Merchandise [Credits] [by districts, locations, project types]	Table
136-138		Inventory, January 1, 1907	Table
		Principal articles delivered to the districts and works [Districts, Fire Hydrants, Wedge stop valves, Plugs, Iron	
139		Bands, Stop screws]	Table
139		Principal articles manufactured during 1906	Table
	Appendix E, Report of the Chief Draughtsman for the year		
140-150	1906, January 16, 1907 [of John E. Codman]		
141		Drawings made during 1906 [Subjects and numbers]	Table
	Report on the hydrographic work for the year 1906 [of John		
142	E. Codman]		
		Comparison of the rainfall flowing off in the Schuylkill river, with the run off on the Perkiomen and Neshaminy	
143		creeks [1898-1906]	Table
		[Table I]. Monthly precipitation on sundry watersheds compared with U.S. Weather Bureau observations at	
		Philadelphia. U.S. Weather Bureau, Water Bureau Auto, Water Bureau ground gauge, Pennsylvania Hospital,	
		Shawmont, Lebanon, Reading, Pottsville, Browers, Hamburg, Seisholtzville, Spring Mount, Easton, Moorestown,	
			Tabla
144		IWest Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Dovlestown	Lable
144 145		West Chester, Ottsville, Quakertown, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown [Overview of the tables, which accompany the report]	
144 145		[Overview of the tables, which accompany the report]	Table
145		[Overview of the tables, which accompany the report] Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at	Table
		[Overview of the tables, which accompany the report] Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia for the year 1906	
145 146		[Overview of the tables, which accompany the report] Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia for the year 1906 Table III. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at forks of	Table Table
145		[Overview of the tables, which accompany the report] Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia for the year 1906	Table

148	Stream flow 1906 - Perkiomen Creek at Frederick	Graph
148	Stream flow 1906 - Neshaminy Creek below Forks	Graph
148	Stream flow 1906 - Tohickon Creek	Graph
	Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy, and Tohickon Creeks. Watersheds, Area in	
149	miles, Percentage of total area (Woodland, Cultivated, Flats, Roads), Average for 23 years, 1883-1906	Table
	Table VI. Average annual yields of sundry watersheds to October 1, 1906. Watersheds, Period covered in years,	
	Area in miles, Average rainfall in inches, Average rainfall flowing off in inches, Per cent flowing off, Average daily	
	yield in gallons, Average yield in cubic feet per second per square mile of drainage area, Average yield in cubic	
150	feet per second per square mile of drainage area for each inch of rainfall	Table
	Table VII. Comparative daily stream flow, 1905 and 1906. Watersheds, Area of watershed, Maximum gallons	
150	(per day, per sq. mile), Date, Minimum gallons (per day, per sq. mile), Date	Table
150	Table VIII. Precipitation and stream flow on Schuylkill and Wissahickon Watersheds[Oct. 1905 - Dec. 1906]	Table
	Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds [Oct. 1905 - Dec.	
150	1906]	Table
	Table of computed daily flow of the Schuylkill River at Fairmount dam. Showing flow over flashboards in cubic	
	feet per second, height of water above or below top of flashboards in inches, and computed pumpage, leakage	
150	and lockage from the pool [by month][note * means below top of flashboards]	Table