



This material is part of the collection of the
Philadelphia Water Department
and was downloaded from the website
www.phillyh2o.org

Please contact the PhillyH2O webmaster
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
I	One hundred and seventh annual report of the Bureau of Water for the year ending December 31, 1908 and annual report of George R. Stearns, Director of the Department of Public Works, issued by the City of Philadelphia, 1909	Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0181	
1	Annual Report of the Department of Public Works for the year ending December 31, 1908		
3	Officers of the Department of Public Works [List of staff]		
4		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1908, and totals for the year 1907	Table
5-42	Twenty-second annual report of the Department of Public Works. George R. Stearns, Director. January 2, 1909.		
6	Bureau of Gas		
7	Bureau of Lighting		
9-19	Bureau of Surveys		
10	Sewers		
10		Total length of all sewers constructed during 1908	Table
10		Total length of all sewers built to Jan. 1, 1909	Table
11	Drainage, South Philadelphia		
11	Intercepting Sewer Systems		
11	Extensions, Main Sewer Systems		
12	Bridges		
12	Walnut Lane Bridge		
12	Passyunk Avenue Bridge		
13	Concrete Bridges		
13	Parks, etc.		
13	Market street subway		
14	Sewage disposal		
14	Experimental testing stations		
15	Pollution of waterways		
15	Grade crossings		
16	Channel dredging		
16	Testing laboratory		

16	Board of surveyors		
17		Summary of receipts and expenses of district surveyors for the year 1908, and totals for the year 1907	Table
18		Registry Division	Table
18		Statement of main, branch and private sewers built during the years 1907 and 1908	Table
19		Statement of work upon bridges, 1907 and 1908	Table
19		Statement of receipts, 1907 and 1908	Table
19		Statement of expenditures, 1907 and 1908	Table
19	Bureau of Highways - Street Cleaning		
29	Board of Highway Supervisors		
30	Bureau of Water [Summary report of Director of Department of Public Works]		
30	Expenditures		
30	Receipts		
30	Water consumption		
30	Filtered Water		
31	Typehold reduction		
31	Future extension		
32	Queen Lane filters		
32	Coal consumption		
32	Pumping machinery		
33	Boiler repairs		
33	Distribution		
33	General		
34		Statement of receipts and expenditures for the years 1907 and 1908	Table
35		Statement relating to pipe laying and fire hydrants placed [Year, Pipe laid, Pipe relaid, Fire hydrants placed in position, Substituted for defective hydrants, Fire hydrants in use, New water attachments]	Table
36-39		Statement of the number and type of engines and their several aggregate capacities, at the various stations [Pumping stations, Designated number of engine or turbine, Type of engine, Designed capacity in million gallons per day]	Table
40		Statement of the location, date of completion, elevation and capacity of the City's reservoirs [also: Height above city Datum]	Table
41		Statement of pumpage for the years 1907 and 1908 [Pumped to reservoirs, Equal to gallons pumped 100 feet high]	Table
41		Statement of pumpage for 1907 and 1908 - Pumped by water power, Pumped by steam power, Largest quantity pumped in 24 hrs., Smallest quantity pumped in 24 hrs.	Table
41		Consumption 1907 and 1908; Cost of 1,000,000 gallons pumped 100 feet high	Table
42	Director's Office		
42		Summary of expenditures of the Director's Office for the year 1908	Table

43	Annual report of the Bureau of Water for the year ending December 31, 1908 [of Fred. C. Dunlap]		
45	Officers of the Bureau of Water	[Partial list] Chief: Frederick C. Dunlap, General Superintendent: Allen J. Fuller, Assistants to Chief: William Whitby, H. J. Johnson, La Monte Lloyd, Chief Clerk: J. T. Hickman, Assistants to Chief Clerk: Thomas Spence, James F. McCrudden, Chief Draughtsmen: John E. Codman, Assistant Engineers: John A. Vogleson, Seth M. Van Loan, T. Nelson Spencer, John S. Ely, Mechanical Engineers: Charles B. Buerger, Francis L. Head, Chemists: George Edward Thomas, Francis D. West	
49-100	Annual Report of the Bureau of Water for the year 1908, Twenty-second annual report of the Bureau of Water, one hundred and seventh annual report of operations connected with the city water supply [of Fred. C. Dunlap], January 1, 1909		
49	Consumption		
50		Estimated average daily consumption [Belmont Works, Queen Lane Works, Roxborough Works, Fairmount and Spring Garden Works, Lardner's Point [Lardners Point] Works]	Table
50		Total quantity filtered during 1908	Table
56	Revenue collected		
57		Total collections during 1908 and the amounts for the several items compared with 1907	Table
57		Expenditures	Table
57		Total expenditures	Table
57		Total earnings of the Bureau of Water [Total revenue from water rents, etc. 1799-1908]	Table
58		Net profit earned by the Bureau of Water 1799-1908	Table
58	Coal		
58		Consumption of coal at the main pumping stations 1908 compared with 1907	Table
59		Additional cost of coal, Additional coal consumed, Total coal consumed - Torresdale - less additional price	Table
59	Pumping stations		
59	Fairmount		
59	Spring Garden		
60	Belmont		
61	Queen Lane		
61	Roxborough		
62	Lardner's Point [Lardners Point]		
65	High Service Stations		
65		Pumpage, Increase and Decrease of pumpage at the several High Service Stations	Table
66	Financial Statement		
66	Improvement, extension and filtration of the water supply		

66		Total fund appropriated by Councils for the improvement, extension and filtration of the water supply	Table
66		Amounts, which has been paid out and charged off on account of contracts to December 31, 1908	Table
66	Land appropriated		
67-86		List of contracts for improvement, extension and filtration of the water supply [No., Description, Contractor, Limit, Amount paid to Dec. 31, '08, Bids opened, Work begun, Work completed, Percentage of work done]	Table
87	Operation of filters		
87	Lower Roxborough Filters		
88		Reductions for 1908 comparing the filtered water and the water flowing from the preliminary filters	Table
88		Comparison showing the reduction of the bacteria and turbidity in the water received from the Schuylkill river	Table
88	Upper Roxborough Filters		
89		Reductions for 1908 comparing the filtered water and the water flowing from the Upper Roxborough sedimentation reservoir	Table
89		Reductions for 1908 comparing the effluent in the filters with the water pumped from the Schuylkill river	Table
89	Belmont Filters		
91		The items of cost, etc., in the process of cleaning	Table
92		Reductions for 1908 comparing the effluent from the Belmont filters with the applied water	Table
92		Reductions for 1908 comparing the effluents of the plain sand filters and the water from the Schuylkill river	Table
92	Torresdale filters		
93		Reductions comparing the effluent from the Torresdale final filters with the applied water taken directly from the Delaware river	Table
94		Comparison of pumpage from the Delaware and Schuylkill Rivers, and supplementary pumpage at High Service Stations for 1907 and 1908	Table
95		Volume and cost of pumpage for the years 1898 to 1908, inclusive [also: estimated population, gallons pumped per capita per day]	Table
96		Cost of raising 1,000,000 gallons 100 feet during 1907 and 1908	Table
97-98		Comparison of the capacity and average daily pumpage for 1907 and 1908	Table
99	[Overview of appendices]		
100	Distribution		
101	Appendix A, Report of Chief Clerk, January 22, 1909 [of J. T. Hickman]		
101		Receipts from the operations and the expenditures for maintenance	Table
102-118		Detailed expenditures of the Bureau for 1908	Table
119		Statement of the amount expended by the Department of Supplies for the Bureau of Water and Filtration [Taken from the books of the city controller, Amount appropriated, expended, merging and not merging]	Table
120		Statement of the amount expended by the Department of Supplies for the Bureau of Water and Filtration [Taken from the books of the city controller, Amount appropriated, expended, merging and not merging] [Table content only for Bureau of Water?]	Table

121		Recapitulation [Bureau of Water and Filtration?]	Table
122		Receipts of the Bureau of Water rents - 1908 [Water rents by schedule on existing conditions, On new connections, By meter current and delinquent, Penalties, Charges for Ferrules on new connections, Fees for searches, Frontage paid to receiver of taxes, Miscellaneous, Liens, Interest, Collected by City Solicitor, Totals]	Table
123-127		List of miscellaneous receipts for the year 1908	Table
128-137	Appendix B, Report of the General Superintendent submitting tables of expenses, pumpage and consumption of water during 1908, January 1, 1909 [of Allen J. Fuller]		
130		Coal consumed during 1908 [Pumping Stations, High Service Stations, Low Service Stations, Belmont Filters: Classification, Tons, Price per ton, Cost, Total cost]	Table
131-132		Cost of pumpage, gallons pumped and percentage of work done at each station for 1908	Table
133		Belmont High Service Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction less suction lift, gallons raised 100 feet per pound of coal]	Table
134		Roxborough High Service Station, 1908 [data concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction less head on suction lift, gallons raised 100 feet per pound of coal]	Table
135		Mt. Airy Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction less head on suction lift, gallons raised 100 feet per pound of coal]	Table
136		Chestnut Hill Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction less head on suction lift, gallons raised 100 feet per pound of coal]	Table
136		Total gallons pumped and consumed during the year 1908 [Months, Main pumping stations (Fairmount, Spring Garden, Belmont, Queen Lane, Roxborough, Frankford, Total, Average per day), Consumption (Stored in reservoirs at end of each month, Total, Average per day), High Service Stations (Belmont, Roxborough, Mt. Airy, Chestnut Hill, Frankford, Total, Average Daily), Low Service Station (Roxborough, Torresdale, Total, Average per day), Total pumpage and supplementary pumpage, Average per day, Percentage of pumpage, Total steam pumpage, Total water pumpage]	Table
136		Fairmount Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift]	Table
136		Spring Garden Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table

136		Belmont Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table
136		Queen Lane Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table
136		Roxborough Pumping Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table
136		Description of pumping machinery of the Bureau of Water, Philadelphia, 1908 [Pumping station, Designated number of engine or turbine, Types of engines, Designated capacity, Steam engines and pumps (High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps)]	Table
136		Roxborough Low Service Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction less head on suction lift, gallons raised 100 feet per pound of coal]	Table
136		Frankford Pumping Station, No.2, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table
136		Frankford Pumping Station, No.3, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table
136		Torresdale Low Service Station, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction and suction lift, gallons raised 100 feet per pound of coal]	Table
136		Current expenses of pumping stations for the year 1908 [Pumping stations, High service stations, Low Service Stations: Repairs (Engines, Boilers, Electric Lighting, Buildings, Grounds, Improvements, Total), Wages of employees, Transportation, Coal consumed, Operating expenses (Oils, Lubricants grease and tallow, Total), Oils for lighting, Outside current, Miscellaneous supplies, Total, Total expenses]	Table
136		Description of steam boilers, Bureau of Water, Philadelphia, 1908 [Pumping station, Type of boilers, Steam boilers]	Table
136		Pumpage diagram for the year 1908 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
136		Frankford High Service, 1908 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants (oils, grease and tallow), mean head in pounds per square inch including friction less head on suction lift, gallons raised 100 feet per pound of coal]	Table
138-179	Appendix C, Report of the Assistant in Charge of Distribution, January 21, 1909 [of W. Whitby]		
138	Mains		
138		New work	Table

138		Comparison of conditions relative to the distribution, 1907-1908	Table
139		Meters	Table
139		Number of dwellings and principal appliances [fixtures] for the use of City water [1908, 1907]	Table
139		Repairs	Table
140		Abandoned	Table
140		Fire hydrants	Table
140		Drills for attachments	Table
142		Service and supply mains laid during 1908, First district	Table
143		Service and supply mains laid during 1908, Second district	Table
144		Service and supply mains laid during 1908, Third district	Table
145		Service and supply mains laid during 1908, Fourth district	Table
146		Service and supply mains laid during 1908, Fifth district	Table
147		Service and supply mains laid during 1908, Sixth district	Table
148		Service and supply mains laid during 1908, Seventh district	Table
149-151		Alterations of water pipes on the line of the Market Street Subway - Pipe relaid	Table
152		Alterations of water pipes on the line of the Market Street Subway - Pipe shifted	Table
152		Recapitulation of work on water pipes [New pipe or feet added, Pipe used but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: Purposes for which used, Size in inches, Total feet and pounds]	Table
152		Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: Districts, Size in inches, Feet, Pounds]	Table
153		Total feet of pipe in use December 31, 1908 [Size in inches, Total in use Dec. 31, 1907, Extensions and relays during 1908, Deductions during 1908, Total in use Dec. 31, 1908]	Table
154		Recapitulation of fire hydrants, set, renewed, and removed [Districts, Style, Total]	Table
155-156		Fire hydrants by wards	Table
156		Statement of the number of fire hydrants by districts and wards during 1908, and total previous thereto [Number of attachments for fire purposes previously reported and made during 1908]	Table
157		Fire hydrants by purveyors' districts	Table
158		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water - arranged by Districts [Districts: New attachments, Shut off by permit, Work done without permit]	Table
159		Permits issued during the year 1908	Table
160-161		Premises supplied and appliances [fixtures] in use January 1, 1909	Table
162		Repairs to mains, stops and fire hydrants, also stops and fire hydrants removed during 1908	Table
163-166		Total number of stops and valves arranged by districts [Pattern, Size, Outlets, Districts, Total]	Table
166		High pressure stops [Pattern, Size, Outlets, Districts, Total]	Table
167		Table "A." Service attachments laid to the curb by the Bureau of Water on the streets to be paved or repaved	Table
167		Account of iron stop boxes, new stops and check valves	Table

168		Number of valves raised in the several districts during the year 1908 [District, Barton, Viney, Single Gate - Bureau of Water, Total]	Table
169		Number of complaints and examinations during 1907 and 1908 [Months, Hydrants, Service pipes, Wash paves, Spigots, Water closets, Horse troughs, No leaks, Total]	Table
170-172		New meters set [Ward, occupant, location, business, date when set, name of meter, size, total, cubic feet consumed, meter rents, remarks]	Table
172		Miscellaneous work on meters [Size: Meters repaired; Meters used in service; Meters packed; Meters tested; Examinations; Miscellaneous]	Table
172		General summary of meter operations for the year 1908 [Size of meters, In use Jan. 1 1908, Meters set during 1908, Renewed - taken out, Renewed - put in, Discontinued, In use Dec. 31 1908, Stock on hand Dec. 31. 1908]	Table
173-176		Schedule of pipe and material inspected during 1908 [Manufacturer, Size, Inspected, Rejected, Accepted]	Table
177		New attachments made and delivered to the Districts during the year 1908 [Districts: Numbers of Attachments made and delivered, Feet of lead pipe, Total]	Table
178-179		Distribution expenses during the year 1908, including expenses of Main office, Purveyors' districts and meter shops [Material and Labor, Districts, Distibution, Meter Shops, Main Office, Totals]	Table
180-186	Appendix D, Report of the operations at the construction and repair shop, Bureau of Water, during the year 1908, January 2, 1909 [of Jas H. Dean, Superintendent of Shop]		
181		Merchandise [Drafts] [by types of materials and supplies] and wages	Table
181-182		Merchandise [Credits] [by districts, locations, project types]	Table
182-185		Inventory, January 1, 1909	Table
186		Furnished to districts [Districts, Fire Hydrants, Wedge stop valves, Plugs, Iron Bands, Stop screws]	Table
186		Principal articles manufactured during 1908	Table
187-196	Appendix E, Report of the Chief Draughtsman on the hydrographic work for the year 1908, January 11, 1909 [of John E. Codman]		
189		Comparison of the inches of rainfall flowing off in the Schuylkill river, with the run off in inches, on the Perkiomen and Neshaminy creeks [1898-1908]	Table
190		[Table I]. Monthly precipitation on sundry watersheds compared with U. S. Weather Bureau observations at Philadelphia. [U.S. Weather Bureau, Water Bureau Auto, Water Bureau ground gauge, Pennsylvania Hospital, Shawmont, Lebanon, Reading, Pottsville, Browsers, Hamburg, Seisholtzville, Spring Mount, Easton, Moorestown, West Chester, Ottsville, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown]	Table
191		[Overview of the tables, which accompany the report]	Table
192		Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia for the year 1908	Table

193		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at forks of Neshaminy for the year 1908	Table
194		Table IV. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Spring Mount for the year 1908	Table
195		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy and Tohickon Creeks. [Watersheds, Area in miles, Percentage of total area: Woodland, Cultivated, Flats, Roads, Average for 25 years 1883-1908]	Table
196		Table VI. Average annual yields of sundry watersheds to October 1 1908 [Watersheds, Period covered in years, Area in miles, Average rainfall in inches, Average rainfall flowing off in inches, Per cent. flowing off, Average daily yield in gallons, Average yield in cubic feet per second per square mile of drainage area, Average yield in cubic feet per second per square mile of drainage area for each inch of rainfall]	Table
196		Table VII. Comparative daily stream flow, 1907 and 1908 [Watersheds, Area of watershed, Maximum gallons per day and per sq. mile, Date, Minimum gallons per day and per sq. mile, Date]	Table
196		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy, and Tohickon watersheds [Oct. 1907 - Dec. 1908]	Table
196		Table of computed daily flow of the Schuylkill River at Fairmount dam. Showing flow over flashboards in cubic feet per second, height of water above or below top of flashboards in inches, and computed pumpage, leakage and lockage from the pool [by month][note * means below top of flashboards]	Table
196		Stream flow 1908 - Perkiomen Creek at Frederick	Graph
196		Stream flow 1908 - Neshaminy Creek below Forks	Graph
196		Stream flow 1908 - Tohickon Creek	Graph