



This material is part of the collection of the  
Philadelphia Water Department  
and was downloaded from the website  
[www.phillyh2o.org](http://www.phillyh2o.org)

Please contact the PhillyH2O webmaster  
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
1	One hundred and eight annual report of the Bureau of Water for the year ending December 31, 1909 and annual report of George R. Stearns, Director of the Department of Public Works, issued by the City of Philadelphia, 1910	<b>Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0186</b>	
1	Annual Report of the Department of Public Works for the year ending December 31, 1909		
3	Officers of the Department of Public Works [List of staff]		
4		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1909, and totals for the years 1907 and 1908	Table
5-39	Twenty-third annual report of the Department of Public Works. George R. Stearns, Director. January 3, 1910.		
6	Bureau of Gas		
7	Bureau of Lighting		
9-17	Bureau of Surveys		
9	Expenditures		
9	Receipts		
9	Main sewers		
10	Branch sewers and inlets		
10	Mileage of sewers		
10		Total length of sewers constructed during 1909	Table
10		Total length of all sewers built to December 31, 1909	Table
10	Sewer inspection		
11	Drainage South Philadelphia		
11	Intercepting Sewer System		
11	Sewage disposal		
11	Testing station		
12	Bridge division		
12	Bridges		
13	Passyunk Avenue Bridge		
13	Parks		
13	Grade crossings		
13	Parkway		

14	Future city improvements		
14	Testing laboratory		
14	Widening Delaware Avenue		
14	Board of Surveyors		
15		Summary of receipts and expenses of district surveyors for the year 1909, and totals for the years 1907 and 1908	Table
16		Statement of work upon bridges, 1907-1909	Table
16		Statement of receipts, 1907-1909	Table
16		Statement of expenditures, 1907-1909	Table
17		Registry Division	Table
17		Statement of main, branch and private sewers built during the years 1907, 1908 and 1909	Table
18	Bureau of Water [Summary report of Director of Department of Public Works]		
18	Expenditures		
18	Receipts		
18	Water consumption		
18	Filtered water supply		
18	Queen Lane filters		
19	Typehold reduction		
19	Pre-filters, Torresdale		
19	Future extension		
20	Coal consumption		
20	Pumping machinery and boilers		
20	Distribution		
20	General		
21		Statement of pumpage for the years 1907, 1908 and 1909 [Pumped to reservoirs, Equal to gallons pumped 100 feet high]	Table
21		Statement of pumpage for 1907, 1908 and 1909 [Pumped by water power, Pumped by steam power, Largest quantity pumped in 24 hours, Smallest quantity pumped in 24 hours]	Table
21		[Consumption 1907-1909; Cost of 1,000,000 gallons pumped 100 feet high]	Table
22		Statement of receipts and expenditures for the years 1907, 1908 and 1909	Table
23-26		Statement of the number and type of engines and their several aggregate capacities, at the various stations [Pumping stations, Designated number of engine or turbine, Type of engine, Designed capacity in million gallons per day, Total]	Table
27		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table

28		Statement relating to pipe laying and fire hydrants placed [Year, Pipe laid, Pipe relaid, Fire hydrants placed in position, Substituted for defective hydrants, Fire hydrants in use, New water attachments]	Table
29	Bureau of Highways - Street cleaning		
32	Street Cleaning Division		
37	Board of Highway Supervisors		
38	Director's Office		
38		Summary of expenditures of the Director's Office for the years 1907, 1908 and 1909	Table
41	Annual report of the Bureau of Water for the year ending December 31, 1909 [of Frederick C. Dunlap]		
43	Officers of the Bureau of Water		
47-90	Annual Report of the Bureau of Water for the year 1909, Twenty-third annual report of the Bureau of Water, one hundred and eight annual report of operations connected with the city water supply [of Fred. C. Dunlap], January 1, 1910		
49	Consumption		
50		Approximate quantities [volume] of consumption [with allowance for the "slip" of the pumps]	Table
50		Average daily consumption [Belmont, Queen Lane, Roxborough, Lardner's Point [Lardners Point], Fairmount and Spring Garden]	Table
50		Total quantity filtered during 1909 [Lower Roxborough, Upper Roxborough, Belmont, Torresdale]	Table
51	Revenue collected		

51		Total collections during 1909 and the amounts for the several items compared with 1908	Table
52		Expenditures	Table
52		Total expenditures	Table
52		Total earnings of the Bureau of Water [Total revenue from water rents, etc. 1799-1909]	Table
52		Net profit earned by the Bureau of Water 1799-1909	Table
52		Statement of appropriations and expenditures for the year 1909	Table
53		Expenditures for maintenance	Table
53		Loan funds	Table
53		Expenditures from loans	Table
54		Bonds of Philadelphia - January, 1910 - Water	Table
54		Amounts, which have been expended or charged off on account of pending contracts	Table
55	Land appropriated		
55		[Acres appropriated, Land damages and costs]	Table
55	Coal		
56		Increase and decrease in the consumption of coal and the corresponding increase or decrease of pumpage at the several pumping stations compared with 1908	Table
57	Pumping stations		
57	Fairmount and Spring Garden		
57	Belmont		
58	Queen Lane		
58	Roxborough		
59	Lardner's Point [Lardners Point] Pumping Station		
60		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Data and results	Table
60		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Capacity	Table
61		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Work done	Table
61		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Duty	Table
61		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Pressures	Table
61		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Jacket pressures	Table
61		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Coal	Table

62		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Analysis of coal	Table
62		Results of a duty trial, which was run on one of six Holly 20,000,000 gallon vertical triple expansion pumping engines in house no. 3: Evaporation	Table
62	Indicated power		
62		Indicated horse power - Distribution of power between the different cylinders	Table
63		Steam engine horsepowers, efficiencies, and steam production	Table
63	Engine data		
63		General data for each pump supplied by the makers of the pumps	Table
64	High Service Stations		
64		Pumpage, Increase and Decrease of pumpage at the several High Service Stations	Table
64	Roxborough Low Service Station		
65	Torresdale Pumping Station		
69		Pumpage and itemized cost for 1909 [Station, Pumpage, Average Lift., Labor, Coal, Oil Grease and Waste, Packing rubber valves etc., Sundries, Total cost of Station, Cost per M. G. 100 ft. high, Averages 1908	Table
70	Operation of filters		
70	Lower Roxborough Filters		
71		Reductions for 1909 comparing the filtered water and the water flowing from the preliminary filters	Table
72		Comparison showing the reduction of the bacteria and turbidity in the water received from the Schuylkill river	Table
72	Upper Roxborough Filters		
73		Reductions for 1909 comparing the filtered water and the water flowing from the Upper Roxborough sedimentation reservoir	Table
73		Reductions for 1909 comparing the effluent in the filters with the water pumped from the Schuylkill river	Table
73		Three methods of washing and their average runs	Table
74	Belmont Filters		
76		The items of cost, etc., in the process of cleaning	Table
76		The items of cost, etc. of one filter, which was cleaned by the usual method of scraping and ejecting for the entire year and of another one, which was cleaned for a portion of the year	Table
77		Reductions for 1909 comparing the effluent from the Belmont filters with the applied water	Table
77		Reductions for 1909 comparing the effluent of the plain sand filters and the water from the Schuylkill river	Table
77	Torresdale filters		
79		Data for cleanings by the Nichols method and the average cost	Table
80		Reductions comparing the effluent from the Torresdale final filters with the applied water taken directly from the Delaware river	Table
80-82	Torresdale Laboratory [Report of Francis D. West, Chemist in Charge, Torresdale Laboratory]		
81	Force [staff]		

81			
81	Work		
81		[chemical, bacteriological, microscopic, and physical] Tests made during 1909	Table
82		Special work [research studies on: methods for determining B. Coli Communis; effects of washing pre-filters; effects of sodium and calcium hypochlorite on bacteria; action of electrolytic hypochlorite of soda on prefilter no. 119; comparison of sedimentation and pre-filtration; chemical reactions during disinfection; water quality on a merchant ship; turbidities of sands in filters; micro-organisms in pump well no.1, Lardners Point; effect of micro-organisms on filtration]	Table
82		Cost of operation	Table
83		Cost of operation of filters for 1909 [Upper Roxborough, Lower Roxborough, Belmont, Torresdale, Total]	Table
83		Pre-Filters [Upper Roxborough, Lower Roxborough, Belmont, Torresdale, Total]	Table
84		Comparison of pumpage for 1908-1909	Table
85		Volume and cost of direct pumpage for the years 1899 to 1909 inclusive	Table
86		Volume and cost of High Service Pumpage for the years 1899 to 1909 inclusive	Table
86		Volume and cost of Low Service Pumpage for the years 1903 to 1909 inclusive	Table
87		Cost of raising 1,000,000 gallons 100 feet during 1908 and 1909	Table
88-89		Comparison of the capacity and average daily pumpage for 1908 and 1909	Table
90	Distribution		
91	Appendix A, Report of Chief Clerk, January 21, 1910 [of J. T. Hickman]		
92-104		Detailed expenditures of the Bureau for 1909	Table
105		Statement of the amount expended by the Department of Supplies for the Bureau of Water [Taken from the books of the city controller, Amount appropriated, expended, merging and not merging]	Table
106		Recapitulation	Table
107-116	Appendix B, Report of the General Superintendent submitting tables of expenses, pumpage and consumption of water during 1909, January 1, 1910 [of Allen J. Fuller]		
109		Coal consumed during 1909 [Pumping Stations, High Service Stations, Low Service Stations, Belmont Filters: Classification, Tons, Price per ton, Cost, Total cost]	Table
110-111		Cost of pumpage, gallons pumped and percentage of work done at stations, 1909	Table
112		Belmont High Service Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure of suction pipe, gallons raised 100 feet high per pound of coal]	Table

112		Fairmount Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, lubricants]	Table
112		Spring Garden Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per pound of coal]	Table
112		Belmont Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. coal based on meters]	Table
112		Queen Lane Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in lbs. per square inch, gallons raised 100 feet high per lb. coal based on meters]	Table
112		Roxborough Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. coal -based on meters]	Table
112		Frankford Pumping Station No. 1, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in lbs. per square inch, gallons raised 100 feet high per pound of coal]	Table
112		Frankford Pumping Station, No.2, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per pound coal]	Table
112		Frankford Pumping Station, No.3, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in lbs. per square inch, gallons raised 100 feet high per lb. of coal]	Table
113		Roxborough High Service Station, 1909 [data concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure on suction [pipe], gallons raised 100 feet high per pound coal]	Table
114		Mount Airy Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet high per pound coal]	Table
115		Chestnut Hill Pumping Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet high per pound coal]	Table
116		Frankford High Service Station, 1909 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per sq. in. less mean pressure on suction pipe, gallons raised 100 feet high per pound coal]	Table



116		Total gallons pumped and consumed during the year 1909 [Months; Main pumping stations: Fairmount, Spring Garden, Belmont Meters, Queen Lane Meters, Roxborough Meters, Frankford, Total, Average per day; Consumption: Stored in reservoirs at end of each month, Total, Average per day; High Service Stations: Belmont, Roxborough, Mt. Airy, Chestnut Hill, Frankford, Total, Average per day; Low Service Station: Roxborough, Torresdale, Total, Average per day; Total pumpage and auxiliary pumpage; Average per day; Percentage of pumpage; Total steam pumpage; Total water pumpage]	Table
116		Current expenses of pumping stations for the year 1909 [Pumping stations, High service stations, Low Service Stations: Repairs [Engines, Boiler, Electric Lighting, Buildings, Grounds, Improvement], Total, Wages of employees, Transportation, Operation [Coal consumed, Lubricants grease and tallow, Packing, Oils for lighting, Miscellaneous supplies, Total], Total expenses]	Table
116		Description of steam boilers, Bureau of Water, Philadelphia, 1909 [Pumping station, Type of boilers, Steam boilers]	Table
116		Description of pumping machinery of the Bureau of Water, Philadelphia, 1909 [Pumping station, Designated number of engine or turbine, Types of engines, Designated capacity, Steam engines and pumps [High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps]]	Table
116		Pumpage diagram for the year 1909 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
117-152	Appendix C, Report of the Assistant in Charge of Distribution, January 1, 1910 [of W. Whitby]		
117	Mains		
117		New work	Table
117		Comparison of conditions relative to the distribution, 1908-1909	Table
118		[Comparison between water main repairs made in 1908 and in 1909]	Table
118		Repairs	Table
119		Abandoned	Table
119		Fire hydrants	Table
119		Drills for attachments	Table
121		Service and supply mains laid during 1909, First district	Table
122		Service and supply mains laid during 1909, Second district	Table
123		Service and supply mains laid during 1909, Third district	Table
124		Service and supply mains laid during 1909, Fourth district	Table
125		Service and supply mains laid during 1909, Fifth district	Table
126		Service and supply mains laid during 1909, Sixth district	Table
127		Service and supply mains laid during 1909, Seventh district	Table
128		Total feet of pipe in use December 31, 1909 [Size in inches, Total in use Dec. 31, 1908, Extension and relays during 1909, Deductions during 1909, Total in use Dec. 31, 1909]	Table
128		Recapitulation of work on water pipes [Purposes for which used: New pipe or feet added, Pipe used but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: Size in inches, Total in feet and pounds]	Table

128		Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: Districts, Size in inches, Feet, Pounds]	Table
129		Recapitulation of fire hydrants set, renewed, and removed [Districts, Style, Total]	Table
130-131		Fire hydrants by wards	Table
132		Fire hydrants by purveyors' districts	Table
132		Statement of the number of fire hydrants by districts and wards during 1909, and total previous thereto [Number of attachments for fire purposes previously reported and made during 1909]	Table
133		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water [Districts: New attachments, Shut off by permit, Work done without permit]	Table
134		Repairs to mains, valves and fire hydrants, also valves and fire hydrants removed during 1909	
135-138		Total number of valves and check valves, arranged by districts [Pattern, Size, Outlets, Districts, Total]	Table
139		Table "A." Service attachments laid to the curb by the Bureau of Water on streets to be paved or repaved	Table
139		Account of iron stop boxes, new stops and check valves	Table
140		Number of complaints and examinations during 1908 and 1909 [Months, Hydrants, Service pipes, Wash paves, Spigots, Water closets, Horse troughs, No leaks, Total]	Table
141-143		Schedule of pipe and material inspected during 1909 [Manufacturer, Size in inches, Inspected, Rejected, Accepted]	Table
144		Attachments made and delivered to the Districts during 1909 [Districts: Numbers of Attachments made and delivered, Feet of lead pipe, Total]	Table
145-146		Distribution expenses during the year 1909, including expenses of Main office, Purveyors' districts and meter shops [Material and Labor, Districts, Distribution, Meter Shops, Main Office, Totals]	Table
147		Receipts from all sources for the year 1909 [submitted by James F. McCrudden]	Table
149		Receipts of Bureau of Water Rents 1909	Table
150		Receipts of the Bureau of Water, collected by the Water Rent Tax Office 1908-1909	Table
150		Types of permits issued 1908 and 1909 [Additional fixtures, building purposes, additional water rent, ferrules, specials, new houses, ferrules drawn, total number of permits]	Table
150		Unpaid permits to December 31st 1909	Table
151		Attachments etc., made by the purveyors in accordance with permits issued by the Bureau of Water. New Attachments	Table
151		Shut/Offs by permits [Districts, Reamed for large attachment, Redriven, Discontinued, Transfer, Repairs [Not drawn, Drawn and redriven, Total]]	Table
152		Work done without permit. Drawn [Districts, Discontinued and abandoned, Delinquent, Leak, Transfer, Total, Drawn and redriven]	Table
152		Number of dwellings and principal appliances for use of city water	Table
152		Miscellaneous work on meters [Size of meters: Meters repaired; Meters tested, Meters packed; Examinations; Miscellaneous]	Table

152		General summary of meter operations for the year 1909 [Size of meters, In use Jan. 1 1909, Set during 1909, Renewed taken out, Renewed - put in, Discontinued, Stock on hand, In use Dec. 31 1909]	Table
153-159	Appendix D, Report of the operations at the construction and repair shop, Bureau of Water, during the year 1909, January 22, 1910 [of James H. Dean, Superintendent of Shop]		
154	Report of construction and repair shop, Bureau of Water, for the year ending December 31, 1909		
154		Merchandise [Drafts] [by types of materials and supplies] and wages	Table
154-155		Labor and Merchandise [Credits] [by districts, locations, project types]	Table
156-158		Inventory, January 1, 1910	Table
159		Furnished to districts during 1909 [Districts, No.1 Fire Hydrants, No. 2 Fire Hydrants, Wedge stop valves, Plugs, Iron Bands, Stop screws]	Table
159		Principal articles manufactured during 1909	Table
160-174	Appendix E, Report of the Chief Draughtsman on the hydrographic work for the year 1909, January 2, 1910 [of John E. Codman]		
166		Comparison of the inches of rainfall flowing off in the Schuylkill river, with the run off, in inches, on the Perkiomen and Neshaminy creeks [1898-1909]	Table
167		[Overview of the tables, which accompany the report]	Table
168		[Table I]. Monthly precipitation on sundry watersheds compared with U. S. Weather Bureau observations at Philadelphia. [U.S. Weather Bureau, Water Bureau Auto, Water Bureau ground gauge, Pennsylvania Hospital, Shawmont, Lebanon, Reading, Pottsville, Browers, Hamburg, Seisholtzville, Spring Mount, Easton, Moorestown, West Chester, Ottsville, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown]	Table
169		Table II. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Philadelphia, for the year 1909	Table
170		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Forks of Neshaminy for the year 1909	Table
171		Table IV. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Spring Mount, for the year 1909	Table
172		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy and Tohickon Creeks. [Watersheds, Area in miles, Percentage of total area: Woodland, Cultivated, Flats and Roads, Average for 26 years 1883-1909]	Table
173		Table VI. Average annual yields of sundry watersheds to October 1 1909 [Watersheds, Period covered in years, Area in miles, Average rainfall in inches, Average rainfall flowing off in inches, Per cent flowing off, Average daily yield in gallons, Average yield in cubic feet per second per square mile of drainage area, Average yield in cubic feet per second per square mile of drainage area for each inch of rainfall]	Table

173		Table VII. Comparative daily stream flow, 1908 and 1909 [Watersheds, Area of watersheds, Maximum gallons per day and per sq. mile, Date, Minimum gallons per day and per sq. mile, Date]	Table
174		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds, and Schuylkill River at Fairmount [Oct. 1908 - Dec. 1909]	Table
174		Table of computed daily flow of the Schuylkill River at Fairmount dam. Showing flow over flashboards in cubic feet per second, height of water above or below top of flashboards in inches, computed pumpage, leakage and lockage, from the pool [by month][note * means below top of flashboards]	Table
174		Stream flow 1909 - Perkiomen Creek at Frederick	Graph
174		Stream flow 1909 - Neshaminy Creek below Forks	Graph
174		Stream flow 1909 - Tohickon Creek	Graph