



This material is part of the collection of the
Philadelphia Water Department
and was downloaded from the website
www.phillyh2o.org

Please contact the PhillyH2O webmaster
for more information about this material.

Page	Subject heading	Illustration Caption	Type of illustration
I	One hundred and ninth annual report of the Bureau of Water for the year ending December 31, 1910 and annual report of George R. Stearns, Director of the Department of Public Works, issued by the City of Philadelphia, 1911	Volume held in Philadelphia Water Department Archives Catalogue No. 2004.057.0189	
1	Annual Report of the Department of Public Works for the year ending December 31, 1910		
3	Officers of the Department of Public Works [List of staff]		
4		Summary of appropriations, expenditures, receipts, etc., of the Department of Public Works during the year 1910, and totals for the years 1907, 1908 and 1909	Table
5-36	Twenty-fourth annual report of the Department of Public Works. George R. Stearns, Director. January 3, 1911		
6	Bureau of Gas		
7	Bureau of Lighting		
9	Bureau of Highways - Street Cleaning		
14	Board of Highway Supervisors		
15-23	Bureau of Surveys		
15	Expenditures and receipts		
15	Main sewers		
15	Branch sewers and inlets		
15	Mileage of sewers		
15		Mileage of sewers - Division	
16		Total length of all sewers constructed to December 31, 1910	Table
16	Sewer inspection		
16	Testing laboratory		
16	Drainage South Philadelphia		
17	Intercepting Sewer System		
17	Sewage disposal		
17	Bridges		
17	Grade crossings		
18	Future city improvements		

18	Passyunk bridge		
19	Chestnut street bridge		
19	Widening Delaware avenue		
19	District Surveyors		
20		Summary of receipts and expenses of district surveyors for the year 1910, and totals for the years 1907, 1908 and 1909	Table
21		Statement of work upon bridges, 1907-1910	Table
21		Statement of receipts, 1907-1910	Table
21		Statement of expenditures, 1907-1910	Table
22		Registry Division	Table
23		Statement of main, branch and private sewers built during the years 1907, 1908, 1909 and 1910	Table
24	Bureau of Water [Summary report of Director of Department of Public Works]		
24	Expenditures		
24	Receipts		
24	Water consumption		
24	Queen Lane filters		
25	Typehold reduction		
25		Figures, which show the decrease of typhoid fever	Table
25	Future extension		
26	Coal consumption		
26	Pumping machinery and boilers		
26	Distribution		
26	General		
27		Statement of pumpage for the years 1907, 1908, 1909 and 1910 [Pumped to reservoirs, Equal to gallons pumped 100 feet high]	Table
28		Statement of pumpage for 1907-1910 [Pumped by water power, Pumped by steam power, Largest quantity pumped in 24 hours, Smallest quantity pumped in 24 hours]	Table
28		[Consumption 1907-1910; Cost of 1,000,000 gallons pumped 100 feet high; Estimated population]	Table
29		Statement of receipts and expenditures for the years 1907, 1908, 1909 and 1910	Table
30-33		Statement of the number and type of engines and their several aggregate capacities, at the various stations [Pumping stations, Designated number of engine or turbine, Type of engine, Designed capacity in million gallons per day, Total]	Table
34		Statement of the location, date of completion, elevation, and capacity of the City's reservoirs [also: Height above city Datum]	Table
35		Statement relating to pipe laying and fire hydrants placed [Year, Pipe laid, Pipe relaid, Fire hydrants placed in position, Substituted for defective hydrants, Fire hydrants in use, New water attachments]	Table
36	Director's Office		
36	Official photographer		

37	Annual report of the Bureau of Water for the year ending December 31, 1910 [of Frederick C. Dunlap]		
39	Officers of the Bureau of Water	[Partial list] Chief: Frederick C. Dunlap, General Superintendent: Allen J. Fuller, Assistants to Chief: William Whitby, H. J. Johnson, Seth M. van Loan, Registrar: James F. McCrudden, Chief Clerk: J. T. Hickman, Assistant to Chief Clerk: Thomas Spence, William J. Logan, Chief Draughtsmen: John E. Codman, Assistant Engineers: John S. Ely, T. Nelson Spencer, Mechanical Engineers: Chas. B. Buerger, Francis Head, Chemists: George Edward Thomas, Francis D. West, Superintendent of Filters: Jos. S. V. Siddons, Alfred Stead, Albert Tolson	
43-86	Annual Report of the Bureau of Water for the year 1910, Twenty-fourth annual report of the Bureau of Water, one hundred and ninth annual report of operations connected with the city water supply [of Fred. C. Dunlap], January 1, 1911		
46	Slow sand filters		
46		[estimates made in 1899 of operation and maintenance costs]	Table
46		[actual operation and maintenance costs for 1909]	Table
47	Typhoid fever		
47		Number of cases of typhoid fever and deaths in Philadelphia 1901-1910	Table
49	An ordinance [proposed ordinance, intended to eliminate overcharging, would authorize the Water Bureau to install meters, at the request of the owners, in small industrial properties, and base charges on water used]		
50	Consumption		
		Average daily pumpage [Pumpage into distribution, High service pumpage, Low service pumpage]	Table
50		Average daily pumpage from the pumping stations [Lardner's Point [Lardners Point], Belmont, Queen Lane, Roxborough]	Table
50		Total quantity filtered during 1910 [Torresdale, Belmont, Upper Roxborough, Lower Roxborough]	Table
51	Revenue collected		
51		Total collections during 1910 and the amounts for the several items compared with 1909	Table
52		Statement of appropriation and expenditures for the year 1910	Table
52		Expenditures for maintenance	Table
52		Loan funds	Table
52		Expenditures from loans	Table
53		Expenditures	Table
53		Total expenditures [for maintenance and construction 1799-1910]	Table
53		Total earnings of the Bureau of Water [Total revenue from water rents, etc. 1799-1910]	Table

53		Net profit earned by the Bureau of Water 1799-1910	Table
54		Bonds for the improvement, extension and filtration of the Philadelphia Water Supply, January, 1911	Table
54		Amounts, which have been expended or charged off on account of pending contracts	Table
55	Land appropriated		
55		[Section, Acres appropriated, Land damages and costs]	Table
55	Coal		
56-57		Increase and decrease in the consumption of coal and the corresponding increase or decrease of pumpage at the several pumping stations comparing 1910 with 1909	Table
57		[Analyses of Coal Samples] Average results of several tests [Volatile comb.(combustibility?), Fixed carbon, Ash, Sulphur, B.T.U., No. of tests] made [on bituminous or pea coal] at each station [Shawmont, Lardner's [Lardners] Point, Torresdale, Belmont, Queen Lane]	Table
58	Pumping stations		
58	Lardner's Point [Lardners Point]		
58		Cost of Lardner's Point [Lardners Point] Pumping Station [House 1, 2, 3]	Table
58		Total pumpage at Lardner's Point [Lardners Point] [House 1,2,3]	Table
59		Duty [work] obtained from the six 20-million gallon Holly vertical, triple expansion engines in House No. 3	Table
59	Torresdale		
59		Machinery of the Torresdale Pumping Station	Table
60	Fairmount and Spring Garden		
61	Belmont		
62	Queen Lane		
63	Shawmont		
63	High Service Stations		
64		Pumpage at the several High Service Stations	Table
64	Roxborough Low Service Station		
65		Pumpage and itemized cost for 1910 [Stations, Pumpage, Average Lift., Labor, Coal, Oil Grease and Waste, Packing rubber valves etc., Sundries, Total cost of Station, Cost per M. G. 100 ft. high, Averages 1909]	
66	Upper Roxborough Filters		
66		Reductions for 1910 comparing the filtered water and the water flowing from the Upper Roxborough sedimentation reservoir	Table
66		Reductions for 1910 comparing the effluent from the filters with the water pumped from the Schuylkill river	Table
66		View of Queen Lane Filters	Photograph
67		Three methods of washing and their average runs during 1909	Table
67		Two methods of washing used in 1910 [Brooklyn, Nichols]	Table
68	Lower Roxborough Filters		
69		Reductions for 1910 comparing the filtered water and the effluent from the preliminary filters	Table

70		Comparison showing the reduction of the bacteria and turbidity in the water received from the Schuylkill river	Table
70	Belmont Filters		
71		16 filters operated by the Brooklyn method: The items of cost, etc., in the process of cleaning	Table
71		The items of cost, etc. of one filter, which was cleaned by raking, spading and ejecting to the court in the usual manner	Table
72		Datas to another filter, which was operated during the year by the "Nichols Separators" method	Table
72		Reductions for 1910 comparing the effluent from the Belmont filters with the applied water	Table
72		Queen Lane Filters - Power House and Chimney	Photograph
73		Reductions for 1910 comparing the effluent of the plain sand filters and the water from the Schuylkill river	Table
73	Torresdale filters		
74		Datas to the standard method of cleaning adopted for 1910: Washing the sand in the filters by ejectors and Nichols Separators	Table
75		Costs, etc. of the filters, which were cleaned in the usual manner by scraping and ejecting and washing in the courts	Table
76		Reductions comparing the effluent from the Torresdale final filters with the water taken from the Delaware river	Table
78		Cost of operation of filters for 1910 [Upper Roxborough, Lower Roxborough, Belmont, Torresdale, Total]	Table
78		Pre-Filters [Upper Roxborough, Lower Roxborough, Belmont, Torresdale, Total]	Table
78		Queen Lane Filters - View of Preliminary Filter Tanks from Power House	Photograph
79		Comparison of pumpage for 1909-1910	Table
80		Volume and cost of direct pumpage for the years 1900 to 1910 inclusive	Table
81		Volume and cost of High Service Pumpage for the years 1900 to 1910 inclusive	Table
82		Volume and cost of Low Service Pumpage for the years 1900 to 1910 inclusive	Table
83		Cost of raising 1,000,000 gallons 100 feet during 1909 and 1910	Table
84		Comparison of the capacity and average daily pumpage for 1909 and 1910 [Pumping Stations, Lardner's Point [Lardners Point], High Service Stations]	Table
85		Comparison of the capacity and average daily pumpage for 1909 and 1910 [Low Service Stations]	Table
85	[Overview of appendices]		
86	Distribution		
87	Appendix A, Report of Chief Clerk, January 18, 1911 [of J. T. Hickman]		
88-98		Detailed expenditures of the Bureau for 1910	Table
99		Recapitulation	Table
100-110	Appendix B, Report of the General Superintendent submitting tables of expenses, pumpage and consumption of water during 1910, January 18, 1911 [of Allen J. Fuller]		

102-104		Coal purchased and consumed 1910	Table
105-106		Cost of pumpage, gallons pumped and percentage of work done at stations, 1910	Table
106		Fairmount Pumping Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, lubricants]	Table
106		Belmont Pumping Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. of coal, based on meters]	Table
106		Queen Lane Pumping Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in lbs. per square inch, gallons raised 100 feet high per lb. coal based on meters]	Table
106		Shawmont Pumping Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. coal based on meters]	Table
106		Lardner's Point [Lardners Point] Pumping Station No. 1, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. of coal]	Table
106		Lardner's Point [Lardners Point] Pumping Station No. 2, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. of coal]	Table
106		Lardner's Point [Lardners Point] Pumping Station No. 3, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure and mean suction lift in pounds per square inch, gallons raised 100 feet high per lb. of coal]	Table
107		Georges Hill High Service, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure of suction pipe, gallons raised 100 feet high per lb. of coal]	Table
108		Roxborough High Service Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet high per lb. of coal]	Table
109		Mount Airy Pumping Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet high per lb. of coal]	Table
110		Wentz Farm High Service Station, 1910 [numbers concerning the engines - capacity, running time, gallons pumped, coal, lubricants, mean water pressure per square inch less mean pressure on suction pipe, gallons raised 100 feet high per lb. of coal]	Table

110		Total gallons pumped and consumed during the year 1910 [Months; Main pumping stations: Fairmount, Spring Garden, Belmont Meters, Queen Lane Meters, Roxborough Meters, Frankford, Total, Average per day; Consumption: Stored in reservoirs at end of month, Total, Average per day; High Service Stations: Belmont, Roxborough, Mt. Airy, Chestnut Hill, Frankford, Total; Low Service Station: Roxborough, Torresdale, Total; Average per day; Total pumpage and auxiliary pumpage; Average per day; Percentage of pumpage; Total steam pumpage; Total water pumpage]	Table
110		Current expenses of pumping stations for the year 1910 [Pumping stations, High service stations, Low Service Stations: Repairs [Engines, Boilers, Electric Lighting, Buildings, Grounds, Improvement], Total, Wages of employees, Transportation, Operation, Coal consumed, Lubricants grease and tallow, Packing, Oils for lighting, Miscellaneous supplies, Total, Total expenses]	Table
110		Description of steam boilers, Bureau of Water, Philadelphia, 1910 [Pumping station, Type of boilers, Steam boilers]	Table
110		Description of pumping machinery of the Bureau of Water, Philadelphia, 1910 [Pumping station, Designated number of engine or turbine, Types of engines, Designated capacity, Steam engines and pumps [High pressure cylinder, Int. pressure cylinder, Low pressure cylinder, Air pumps, Forcing pumps]]	Table
110		Pumpage diagram for the year 1910 [also: inches of rainfall, inches on dam, temperature degrees F.]	Diagram
111-143	Appendix C, Report of the Assistant in Charge of Distribution, January 1, 1911 [of W. Whitby]		
111	Mains		
111		New work	Table
112		Comparison of conditions relative to the distribution, 1909-1910	Table
112		[Comparison between water main repairs made in 1909 and in 1910]	Table
113		Repairs	Table
113		Abandoned	Table
113		Fire hydrants	Table
114		Drills for attachments	Table
116		Service and supply mains laid during 1910, First district	Table
117		Service and supply mains laid during 1910, Second district	Table
118		Service and supply mains laid during 1910, Third district	Table
119		Service and supply mains laid during 1910, Fourth district	Table
120		Service and supply mains laid during 1910, Fifth district	Table
121		Service and supply mains laid during 1910, Sixth district	Table
122		Service and supply mains laid during 1910, Seventh district	Table
123		Total feet of pipe in use December 31, 1910 [Size in inches, Total in use Dec. 31, 1909, Extensions and relays during 1910, Deductions during 1910, Total in use Dec. 31, 1910]	Table
124		Recapitulation of work on water pipes [Purposes for which used: New pipe or feet added, Pipe used but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: Size in inches, Total in feet and pounds]	Table

125		Recapitulation by districts [New pipe or feet added, Pipe used, but adding nothing to feet in ground, Total handled, Pipe cut off and abandoned: Districts, Size in inches, Feet, Pounds]	Table
126		Recapitulation of fire hydrants set, renewed and removed [Districts, Style, Total]	Table
127-128		Fire hydrants by wards	Table
129		Fire hydrants by purveyors' districts	Table
130		Statement of the number of fire hydrants, by districts and wards, during 1910, and total previous thereto [Number of attachments for fire purposes previously reported and made during 1910]	Table
131		Attachments, etc., made by the purveyors in accordance with permits issued by the Bureau of Water, Arranged by Districts [Districts: New attachments, Shut off by permit, Work done without permit]	Table
132		Repairs to mains, stops and fire hydrants, also stops and fire hydrants removed during 1910	Table
133-136		Total number of valves and check valves in the City, arranged by districts [Pattern, Single Gate - Bureau of Water, Butterfly - Bureau of Water, Barton: Size, Outlets, Districts, Totals]	Table
137		Number of complaints and examinations during 1909 and 1910 [Months, Hydrants, Service pipes, Wash paves, Spigots, Water closets, Horse troughs, No. leaks, Totals]	Table
138-141		Schedule of pipe and castings inspected during 1910 [Manufacturer, Size in inches, Inspected, Rejected, Accepted]	Table
142-143		Distribution expenses during the year 1910, including expenses of Main office, Purveyors' districts and meter shops [Material and Labor, Districts, Distibution, Meter Shops, Main Office, Totals]	Table
144-155	Appendix D, Report of the Registrar, January 19, 1911 [of James F. McCrudden, Registrar]		
144		Receipts from all sources for the year 1910	Table
146		[Receipts of Bureau of Water 1910]	Table
147		Receipts of the Bureau of Water, collected by the Water Rent Tax Office 1909-1910	Table
147		Types of permits issued 1909 and 1910 [Additional fixtures, building purposes, additional water rent, ferrules, specials, new houses, ferrules drawn, total number of permits]	Table
148		Unpaid permits to December 31st 1910	Table
148		Miscellaneous meter operations, 1910 [Size of meters: Meters repaired; Meters packed; Meters tested; Examinations; Miscellaneous]	Table
148		Report meter operations from January 1, 1910, to December 31, 1910 [Size of meters, In use Jan. 1 1910, Set during 1910, Renewed - taken out, Renewed - put in, Discontinued, Stock on hand, In use Dec. 31 1910]; Recapitulation	Table
149		Shut off orders for delinquent water rents, 1910	Table
150		Attachments etc., made by the purveyors in accordance with permits issued by the Bureau of Water. New Attachments	Table
150		Attachments etc., made by the purveyors in accordance with permits issued by the Bureau of Water. Shut-Offs by permits	Table
151		Work done without permit. Drawn [Districts, Discontinued and abandoned, Delinquent, Leak, Transfer, Total]	Table
151		Meters in use [1909, 1910]	Table
151		Number of dwellings and principal appliances for use of City water [1909, 1910]	Table
152		Permits issued during the year 1910	Table

153-155		Premises [properties, accounts, services] supplied and appliances [fixtures] in use January 1, 1911	Table
156-162	Appendix E, Report of the operations at the construction and repair shop, Bureau of Water, during the year 1910, January 18, 1911 [of Jas. [James] H. Dean, Superintendent of Shop]		
157	Annual report of Superintendent of Bureau of Water, Construction and Repair Shop, for the year 1910		
157		Merchandise [Drafts] [by types of materials and supplies] and wages	Table
157-158		[Labor and Merchandise [Credits] by districts, locations, project types]	Table
159-161		Inventory, January 1, 1911	Table
162		Furnished to districts in 1910 [Districts, No.1 Fire Hydrants, No. 2 Fire Hydrants, Wedge stops, Plugs, Iron Bands, Stop screws]	Table
162		Stops and fire hydrants built in 1910	Table
162		Fire hydrants repaired in 1910	Table
163-173	Appendix F, Report of the Chief Draughtsman on the hydrographic work for the year 1910, January 1, 1911 [of John E. Codman]		
165		Comparison of the inches of rainfall flowing off in the Schuylkill river, with the runoff in inches on the Perkiomen and Neshaminy creeks [1898-1910]	Table
166		[Overview of the tables, which accompany the report]	Table
168		[Table I]. Monthly precipitation on sundry watersheds compared with U. S. Weather Bureau observations at Philadelphia. [U.S. Weather Bureau, Water Bureau Auto, Water Bureau ground gauge, Pennsylvania Hospital, Shawmont, Lebanon, Reading, Pottsville, Browers, Hamburg, Seisholtzville, Spring Mount, Moorestown, West Chester, Ottsville, Smith's Corner, Point Pleasant, Lansdale, Forks of Neshaminy, Doylestown]	Table
169		Table II. Rain storms exceeding in rate 0.25 inches per hour as recorded by the automatic rain gauge at Philadelphia, for the year 1910	Table
170		Table III. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Forks of Neshaminy, for the year 1910	Table
171		Table IV. Rain storms exceeding in rate 0.25 inches per hour, as recorded by the automatic rain gauge at Spring Mount, for the year 1910	Table
172		Table V. Inches of rainfall flowing in the Perkiomen, Neshaminy and Tohickon Creeks. [Watersheds, Area in miles, Percentage of total area: Woodland, Cultivated, Flats and Roads, Average for 27 years 1883-1910]	Table

173		Table VI. Average annual yield of sundry watersheds to October 1 1910 [Watersheds, Period covered in years, Area in miles, Average rainfall in inches, Average rainfall flowing off in inches, Per cent. flowing off, Average daily yield in gallons, Average yield in cubic feet per second per square mile of drainage area, Average yield in cubic feet per second per square mile of drainage area for each inch of rainfall]	Table
173		Table VII. Comparative daily stream flow, 1909 and 1910 [Watersheds, Area of watershed, Maximum gallons per day and per sq. mile, Date, Minimum gallons per day and per sq. mile, Date]	Table
174		Table IX. Precipitation and stream flow on Perkiomen, Neshaminy and Tohickon watersheds, [and Schuylkill River at Fairmount] [Oct. 1909 - Dec. 1910]	Table
174		Table of computed daily flow of the Schuylkill River at Fairmount dam. Showing flow over flashboards in cubic feet per second, height of water above or below top of flashboards in inches and computed pumpage, leakage and lockage from the pool [by month][note * means below top of flashboards]	Table
174		Stream flow 1910 - Perkiomen Creek at Frederick	Graph
174		Stream flow 1910 - Neshaminy Creek below Forks	Graph
174		Stream flow 1910 - Tohickon Creek	Graph